



pulsar

NS160



ÚNICOS EN EL MUNDO CON
**TECNOLOGÍA
DOBLE BUJÍA**

Mobil Super
4T Ultra

CATÁLOGO DE PARTES

pulsar
POTENCIA SIN PRECEDENTES

www.auteco.com.co
Línea gratuita nacional: 018000 520090



SISTEMA ANTIBLOQUEO
DE FRENO NO INCLUIDO

PREFACIO

Es nuestro placer presentarles a ustedes el Catálogo de Partes.

Este Catálogo ha sido especialmente diseñado para ayudarle en la selección de las partes correctas con el fin de mantener el vehículo en las mejores condiciones.

Los repuestos originales están sujetos a un exigente estándar de control de calidad, por lo tanto es necesario que usted sólo use repuestos originales.

En nuestro constante esfuerzo para mejorar la eficiencia y desempeño de su vehículo, las especificaciones, diagramas y número de partes pueden cambiar sin previo aviso. Consecuentemente las descripciones de los repuestos en este Catálogo pueden no ser las finales y definitivas.

Las alteraciones y modificaciones que ocurren en la impresión de este Catálogo, serán informadas a nuestra red, a través de circulares de Servicio o en nuestra página web: www.auteco.com.co accediendo al link repuestos. Es requisito que usted actualice su Catálogo y haga las correcciones necesarias, una vez reciba dichas circulares. Lo anterior le asegurará un rápido y adecuado despacho de sus partes, pues las órdenes están siendo diligenciadas con las referencias más actualizadas.

En caso de necesitar asistencia técnica, comunicarse con el Distribuidor Autorizado o llamar al Departamento de Servicios Auteco.



DIRECTORIO TELEFÓNICO - UN REPUESTOS Y ACCESORIOS

ÁREA COMERCIAL Y ASESORES DE VENTAS

NOMBRE	CARGO	ZONA	CELULAR	CORREO ELECTRÓNICO
JIMMY HERRERA HERNANDEZ	JEFE ZONA CENTRO	ZONA ORIENTE	3103739019	jherrera@auteco.com.co
JOHN JAHIVER SALAMANCA LATORRE	ASESOR COMERCIAL	BOGOTA CENTRO / NORTE	300-542-8756	jsalamanca@auteco.com.co
CARLOS JAVIER URIBE DURAN	ASESOR COMERCIAL	NORTE SANTANDER / CESAR SUR / ARAUCA	321-799-7928	cjuribe@auteco.com.co
ANDRES FELIPE BUSTAMANTE CASTAÑEDA	ASESOR COMERCIAL	META / GUAVIARE	317-556-9320	abustamante@auteco.com.co
MICHAEL ANDERSON MELO SOLER	ASESOR COMERCIAL	BOGOTA SUR	314-637-5950	mmelo@auteco.com.co
IVAN EDUARDO FONSECA CARDENAS	ASESOR COMERCIAL	CUNDINAMARCA/BOYACA/CASANARE	318-617-7283	ifonseca@auteco.com.co
JUAN CARLOS PIMENTEL JAIME	ASESOR COMERCIAL	SANTANDER	317-481-77-08	jcpimentel@auteco.com.co
PAULA ANDREA PEDROZA CASTRILLON	MERCADERISTA BOGOTA	BOGOTA	301-470-89-04	papedroza@auteco.com.co
CARLOS HUMBERTO TOBON RESTREPO	JEFE ZONA NORTE	ANTIOQUIA	310-447-3611	ctobon@auteco.com.co
YEEDSANDER GUZMAN GARCIA	ASESOR COMERCIAL	BARRANQUILLA/SOLEDAD/SANTA MARTA	300-542-6459	yguzman@auteco.com.co
MIGUEL ARTURO OSORIO RUIZ	ASESOR COMERCIAL	VALLEDUPAR/RIOHACHA/MAICAO	321-799-7887	mosorio@auteco.com.co
ANDRES MAURICIO TORRES ALTAMIRANDA	ASESOR COMERCIAL	MONTERIA/CAUCASIA/CERETE	318-411-7911	amtorres@auteco.com.co
RONALD JIMENEZ MONTENEGRO	ASESOR COMERCIAL	QUIBDO/ISTMINA/SUROESTE	318-618-6962	rjimenez@auteco.com.co
JHOHAN SEBASTIAN DURANGO DÍAZ	ASESOR COMERCIAL	APARTADO / TURBO / SANTA FE	318-618-6650	jsdurango@auteco.com.co
LAURA VANESSA TETE	MERCADERISTA COMERCIAL	BARRANQUILLA	301-385-5611	lvete@auteco.com.co
RANGEL STIVENSON PEÑARANDA BUELVAS	ASESOR COMERCIAL	CARTAGENA DE INDIA / TURBACO	312-298-7444	repenaranda@auteco.com.co
ANDREA CAROLINA RODRIGUEZ PINEDA -	MERCADERISTA COMERCIAL	MEDELLIN	301-472-1194	acrodriquez@auteco.com.co
JHONATAN ARROYO MARTINEZ	ASESOR COMERCIAL	SINCELEJO/ MAGANGUE/ MONPOX	318-618-6416	jarrojo@auteco.com.co
OSCAR ALEJANDRO POSADA VILLADA	ASESOR COMERCIAL	MEDELLIN/BELLO/ITAGUI	301-385-36-02	oaposada@auteco.com.co
JORGE ELIECER LOPEZ DUQUE	JEFE COMERCIAL CALI	ZONA SUR	320-682-0964	jelopez@auteco.com.co
LEIDY JOHANA VELASQUEZ SANCHEZ	ASESOR COMERCIAL	IBAGUE/LA DORADA/SAN SEBASTIAN DE MARIQUITA/	312-257-6791	lvelasquez@auteco.com.co
JHON FREDDY ARIAS MEJIA	ASESOR COMERCIAL	PEREIRA/MANIZALES/ARMENIA/	318-338-4054	jarias@auteco.com.co
LUISA FERNANDA ALPALA PATIÑO	ASESOR COMERCIAL	NARIÑO/PUTUMAYO/CAQUETA/SUR HUILA	317-439-3005	lalpala@auteco.com.co
JHONATAN OCAMPO CAYCEDO	ASESOR COMERCIAL	VALLE /CAUCA	312-414-2279	jocampoc@auteco.com.co
DANNA MARCELA HERNANDEZ BELTRAN	ASESOR COMERCIAL	TOLIMA/NEIVA	317-481-5089	dmhernandez@auteco.com.co
YULIETH ANDREA MARIN BENJUMEA	MERCADERISTA COMERCIAL	CALI	301-471-53-55	yamarin@auteco.com.co
NESTOR RAUL ADARVE RENDON	DESARROLLADOR	MEDELLIN	310-436-2689	nadarve@auteco.com.co
DAVID ANDRES RIAÑO VIDALES	KEY ACCOUNT	PPAL CENTRO	321-803-2957	driano@auteco.com.co
DIANA MILENA MONTOTOYALZATE	KEY ACCOUNT	MEDELLIN	321-799-7930	dmmontoya@auteco.com.co
ERWIN ALEXIS CARLOSAMA TOBAR	KEY ACCOUNT	CALI	313-584-4713	ecarlosama@auteco.com.co
JOHANA RESTREPO ACEVEDO	JEFE DE TELEVENTAS	MEDELLIN	301-472-2953	jrestrepo@auteco.com.co

SERVICIO AL CLIENTE

LÍNEA ÚNICA DE SERVICIO AL CLIENTE CANAL

(4) 444 81 90 

ATENCIÓN EN:	NOMBRE	E-MAIL
SERVICIO PAGO ANTICIPADO	JEISSON ALEXANDER ALVAREZ M.	repuestosauteco1@auteco.com.co
JEFE SERVICIO POSVENTA	LUIS G. RODRIGUEZ	lrodriguez@auteco.com.co
DEVOLUCIONES	WILMAR ANTONIO BEDOYA C.	wbedoya@auteco.com.co
MOTO FUERA DE RUTA		motofueraderuta@auteco.com.co

AUTOTECNICA COLOMBIANA S.A.S (AUTECO S.A.S) SEDE PRINCIPAL CRA. 43 # 44-60 ITAGÜI ANT. - PBX: (4)306 81 81

Atención a clientes finales: LÍNEA GRATUITA NACIONAL - 01 800052 00 90

ÍNDICE

FIGURA Nº	DESCRIPCIÓN	PÁG. Nº	FIGURA Nº	DESCRIPCIÓN	PÁG. Nº
1	TAPA CULATA	1	32	LLANTAS / RINES	36
2	UNIDAD SAI	2	33	RUEDA DELANTERA	37
3	CULATA	3	34	BOMBA FRENO DELANTERO	38
4	VÁLVULAS	4	35	CALIPER DELANTERO	39
5	EJE DE LEVAS / TENSOR CADENILLA	5	36	RUEDA TRASERA PULSAR NS 160 SINGLE DISC	40
6	CILINDRO / PISTÓN	6	36A	RUEDA TRASERA PULSAR NS 160 TWIN DISC	41
7	CIGÜEÑAL	7	37	BOMBA FRENO TRASERO PULSAR NS 160 TWIN DISC	42
8	BALANCEADOR	8	38	CALIPER TRASERO PULSAR NS 160 TWIN DISC	43
9	TRANSMISIÓN PULSAR NS 160 SINGLE DISC	9	39	PEDAL FRENO	44 - 45
9A	TRANSMISIÓN PULSAR NS 160 TWIN DISC	10	40	MANUBRIO / ESPEJOS	46 - 47
10	SELECTOR DE CAMBIOS	11	41	SUSPENSIÓN DELANTERA	48
11	EJE DE CAMBIOS	12	42	ENFOCADOR AIRE	49
12	CARCASA DERECHA	13	43	TANQUE GASOLINA / GRIFO GASOLINA	50
13	CARCASA IZQUIERDA	14	44	COMPLEMENTOS CUBIERTAS TANQUE	51 - 52
14	BOMBA DE ACEITE	15	45	COMPLEMENTOS TAPAS LATERALES / CUBIERTA SILLÍN	53
15	PEDAL CRANK	16	46	VELOCÍMETRO	54
16	CUBIERTA CLUTCH	17 - 18	47	CABLES	55
17	RADIADOR	19	48	GUARDACADENA / GUARDABARRO TRASERO	56 - 57
18	CUBIERTA VOLANTE	20	49	FAROLA / CARENAJE	58 - 59
19	CLUTCH	21	50	DIRECCIONALES	60
20	MOTOR DE ARRANQUE / PLATO DE BOBINAS	22	51	STOP	61
21	C.D.I / REGULADOR / BOBINAS DE ALTA	23	52	EQUIPO ELÉCTRICO	62
22	CAJA FILTRO DE AIRE	24	53	HERRAMIENTA / ACCESORIOS	63
23	CARBURADOR	25	54	CUBIERTAS	64
24	SILENCIADOR	26	55	CALCOMANÍAS	65 - 67
25	SILLÍN	27 - 28	56	CALCOMANÍAS Y ACCESORIOS EDICIÓN PRO	68 - 70
26	SOPORTE DE MOTOR	29	57	CALCOMANÍAS EDICIÓN PRO 10M	71
27	CHASIS	30	58	ACCESORIOS EDICIÓN PRO 10M	72
28	BRAZO OSCILANTE / AMORTIGUADOR	31	59	CALCOMANÍAS EDICIÓN PULSARMANIA	73 - 74
29	REPOSAPIÉ CONDUCTOR - PASAJERO	32 - 33	60	ACCESORIOS EDICIÓN PULSARMANIA	75
30	GUARDABARRO DELANTERO	34		LISTA DE KITS	76
31	GATO CENTRAL / GATO LATERAL	35		INDICE DE REFERENCIAS	77 - 83



***ESTE ES EL SELLO DEL RESPALDO,
LA CALIDAD Y TU TRANQUILIDAD.***



ÍNDICE DE GRÁFICOS




FIGURA N° 1: TAPA CULATA

PÁG. N°.
1




FIGURA N° 2: UNIDAD SAI

PÁG. N°.
2




FIGURA N° 3: CULATA

PÁG. N°.
3




FIGURA N° 4: VÁLVULAS

PÁG. N°.
4




FIGURA N° 5: EJE DE LEVAS /
TENSOR CADENILLA

PÁG. N°.
5
















FIGURA N° 6: CILINDRO / PISTÓN

PÁG. N°.
6







ÍNDICE DE GRÁFICOS

	FIGURA N° 7: CIGÜEÑAL	PÁG. N°. 7		FIGURA N° 8: BALANCEADOR	PÁG. N°. 8		FIGURA N° 9: TRANSMISIÓN PULSAR NS 160 SINGLE DISC	PÁG. N°. 9
	FIGURA N° 9A: TRANSMISIÓN PULSAR NS 160 TWIN DISC	PÁG. N°. 10		FIGURA N° 10: SELECTOR DE CAMBIOS	PÁG. N°. 11		FIGURA N° 11: EJE DE CAMBIOS	PÁG. N°. 12







ÍNDICE DE GRÁFICOS

					
FIGURA N° 12: CARCASA DERECHA	PÁG. N°. 13	FIGURA N° 13: CARCASA IZQUIERDA	PÁG. N°. 14	FIGURA N° 14: BOMBA DE ACEITE	PÁG. N°. 15
					
FIGURA N° 15: PEDAL CRANK	PÁG. N°. 16	FIGURA N° 16: CUBIERTA CLUTCH	PÁG. N°. 17 - 18	FIGURA N° 17: RADIADOR	PÁG. N°. 19

ÍNDICE DE GRÁFICOS

					
FIGURA N° 18: CUBIERTA VOLANTE	PÁG. N°. 20	FIGURA N° 19: CLUTCH	PÁG. N°. 21	FIGURA N° 20: MOTOR DE ARRANQUE / PLATO DE BOBINAS	PÁG. N°. 22
					
FIGURA N° 21: C.D.I. / REGULADOR / BOBINAS DE ALTA	PÁG. N°. 23	FIGURA N° 22: CAJA FILTRO DE AIRE	PÁG. N°. 24	FIGURA N° 23: CARBURADOR	PÁG. N°. 25







ÍNDICE DE GRÁFICOS

		
FIGURA N° 24: SILENCIADOR	FIGURA N° 25: SILLÍN	FIGURA N° 26: SOPORTE DE MOTOR
		
FIGURA N° 27: CHASIS	FIGURA N° 28: BRAZO OSCILANTE / AMORTIGUADOR	FIGURA N° 29: REPOSAPIÉ CONDUCTOR / PASAJERO







ÍNDICE DE GRÁFICOS

	FIGURA N° 30: GUARDABARRO DELANTERO PÁG. N°. 34		FIGURA N° 31: GATO CENTRAL / GATO LATERAL PÁG. N°. 35		FIGURA N° 32: LLANTAS / RINES PÁG. N°. 36
	FIGURA N° 33: RUEDA DELANTERA PÁG. N°. 37		FIGURA N° 34: BOMBA FRENO DELANTERO PÁG. N°. 38		FIGURA N° 35: CALIPER DELANTERO PÁG. N°. 39

ÍNDICE DE GRÁFICOS

					
FIGURA N° 36: RUEDA TRASERA PULSAR NS 160 SINGLE DISC	PÁG. N°. 40	FIGURA N° 36A: RUEDA TRASERA PULSAR NS 160 TWIN DISC	PÁG. N°. 41	FIGURA N° 37: BOMBA FRENO TRASERO PULSAR NS 160 TWIN DISC	PÁG. N°. 42
					
FIGURA N° 38: CALIPER TRASERO PULSAR NS 160 TWIN DISC	PÁG. N°. 43	FIGURA N° 39: PEDAL FRENO	PÁG. N°. 44 - 45	FIGURA N° 40: MANUBRIO / ESPEJOS	PÁG. N°. 46 - 47

ÍNDICE DE GRÁFICOS

					
FIGURA N° 41: SUSPENSIÓN DELANTERA	PÁG. N°. 48	FIGURA N° 42: ENFOCADOR AIRE	PÁG. N°. 49	FIGURA N° 43: TANQUE GASOLINA / GRIFO GASOLINA	PÁG. N°. 50
					
FIGURA N° 44: COMPLEMENTOS CUBIERTAS TANQUE	PÁG. N°. 51 - 52	FIGURA N° 45: COMPLEMENTOS TAPAS LATERALES / CUBIERTA SILLÍN	PÁG. N°. 53	FIGURA N° 46: VELOCÍMETRO	PÁG. N°. 54

ÍNDICE DE GRÁFICOS




FIGURA N° 47: CABLES

PÁG. N°.
55




FIGURA N° 48: GUARDACADENA /
GUARDABARRO TRASERO

PÁG. N°.
56 - 57




FIGURA N° 49: FAROLA / CARENAJE

PÁG. N°.
58 - 59




FIGURA N° 50: DIRECCIONALES

PÁG. N°.
60




FIGURA N° 51: STOP

PÁG. N°.
61









FIGURA N° 52: EQUIPO ELÉCTRICO

PÁG. N°.
62

ÍNDICE DE GRÁFICOS

		
FIGURA N° 53: HERRAMIENTA / ACCESORIOS	FIGURA N° 54: CUBIERTAS	FIGURA N° 55: CALCOMANÍAS
		
FIGURA N° 56: CALCOMANÍAS Y ACCESORIOS EDICIÓN PRO	FIGURA N° 57: CALCOMANÍAS EDICIÓN PRO 10M	FIGURA N° 58: ACCESORIOS EDICIÓN PRO 10M

PÁG. N°.
63

PÁG. N°.
64

PÁG. N°.
65 - 67

PÁG. N°.
68 - 70

PÁG. N°.
71

PÁG. N°.
72

ÍNDICE DE GRÁFICOS



FIGURA N° 59: CALCOMANÍAS
EDICIÓN PULSARMANIA

PÁG. N°.
73 - 74




FIGURA N° 60: ACCESORIOS
EDICIÓN PULSARMANIA

PÁG. N°.
75

This exploded view diagram illustrates the components of a carburetor assembly. The parts are numbered as follows:

- 1**: A small rectangular component, likely a float valve or needle valve, positioned to be inserted into the top of the carburetor body.
- 2**: A screw or bolt used to secure the top of the carburetor body.
- 3**: A black O-ring or gasket that will seal the carburetor body against the engine block.
- 4**: A metal plate or bracket that will be mounted to the side of the carburetor body.
- 5**: Four screws used to secure the plate (4) to the carburetor body.
- 6**: A long, curved metal pipe or hose that will connect to the carburetor's air intake or fuel line.
- 7**: A small metal ring or clip used to secure the end of the pipe (6).

The diagram shows the carburetor body at the top, with the engine block and cylinder head visible below it. The parts are shown in their relative positions for assembly.



This exploded view diagram illustrates the assembly of a fuel system. The components are numbered as follows:

- 1**: Fuel tank
- 2**: Fuel line fitting
- 3**: Fuel line fitting
- 4**: Fuel line
- 5**: Fuel line fitting
- 6**: Fuel filter
- 7**: Fuel line fitting
- 8**: Fuel line
- 9**: Fuel pump
- 10**: Fuel line
- 11**: Fuel line fitting
- 12**: Fuel line fitting
- 13**: Fuel line fitting
- 14**: Fuel line fitting
- 15**: Fuel line fitting
- 16**: Fuel line fitting
- 17**: Fuel line fitting
- 18**: Fuel line fitting
- 19**: Fuel line fitting
- 20**: Fuel line fitting
- 21**: Fuel line fitting



FIGURA N° 3: CULATA




FIG. No.	PORTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JE511047	Tornillo Culata	4	4	
2	39166005	Esparrago Culata	2	2	
3	JE511087	Culata	1	-	
	36JF0134		-	1	
4	JE511085	Empaque Culata	1	1	
5	JB511018	Torre Bujía	1	-	
	JF511052		-	1	
6	39262921	Anillo Retenedor	1	-	
	KJAC1824		-	1	
7	39128321	Anillo Retenedor	1	1	
8	39167404	Tornillo	2	2	
9	JE351400	Swiche Presión Aceite	1	1	
10	39260801	Esparrago 5x0.8x7	1	1	
11	DK101340	Anillo Retenedor	1	1	
12	JE581423	Múltiple Admisión	1	1	
13	LJA00010	Anillo Retenedor	1	1	
14	JE581407	Conector Carburador	1	1	
15	JE581428	Abrazadera Carburador	2	2	
16	JE511052	Pin Guía	1	1	
17	59040050	Tornillo Culata	1	1	
18	JE581426	Baquela	-	1	
19	JL402219	Conector Swiche Presión Aceite	-	1	No Ilustrado

This diagram shows an exploded view of a mechanical assembly. The components are numbered 1 through 10. The assembly consists of a base (1) with three vertical shafts (2, 3, 4). Each shaft has a spring (5, 6, 7) and a piston (8, 9, 10) assembly. The pistons are connected to a central lever (11) which is pivoted on a pin (12). The lever is also connected to a rod (13) which is attached to a handle (14). The handle has a grip (15) and a trigger (16).



This exploded view diagram illustrates the components of a water pump assembly. The main assembly is indicated by callout 1. The components are numbered as follows:

- 1:** The main water pump housing, which is a large, cast metal component with a flange on one side and a mounting bracket on the other.
- 2:** Three O-rings, shown stacked vertically, used for sealing the pump housing.
- 3:** Four small, cylindrical fasteners or pins used to secure the O-rings.
- 4:** A gasket or seal plate, which is a flat, irregularly shaped metal plate with a central circular opening and four smaller circular holes.
- 5:** A small, cylindrical component, likely a pin or a small bearing, located near the mounting bracket.
- 6:** A cylindrical component, likely a pin or a small bearing, located near the mounting bracket.



An exploded view diagram of a mechanical assembly, likely a pump or motor component. The diagram shows 12 numbered parts arranged in a linear sequence from left to right, indicating their assembly order. The parts are:

- 1: A large, complex housing or base with a central shaft and a vertical arm.
- 2: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 3: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 4: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 5: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 6: A large gear or impeller with many teeth.
- 7: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 8: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 9: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 10: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 11: A small, circular component, possibly a seal or gasket, located near the base of the shaft.
- 12: A small, circular component, possibly a seal or gasket, located near the base of the shaft.



An exploded view diagram of a mechanical assembly, likely a pump or motor component. The assembly consists of the following parts:

- 1**: A large, dark grey, curved housing or base plate.
- 2**: A central shaft or axle with a flange on the left end and a smaller flange on the right end.
- 3**: A small, dark grey, rectangular block or spacer.
- 4**: A large, dark grey, circular gear or impeller with many teeth.
- 5**: A small, dark grey, circular ring or washer.
- 6**: A small, dark grey, cylindrical pin or bolt.
- 7**: A small, dark grey, hexagonal bolt or screw.
- 8**: A small, dark grey, curved piece, possibly a bracket or support.

The diagram shows the relative positions of these components, with lines indicating how they fit together. The central shaft (2) is the main component, with the gear (4) mounted on its right end. The housing (1) is designed to support the shaft and gear. The other components (3, 5, 6, 7, 8) are smaller parts that likely serve to secure or adjust the assembly.



FIGURA N° 9: TRANSMISIÓN PULSAR NS 160 SINGLE DISC




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JE551001	Eje Clutch	1	-	
2	JE551202	Piñon de 4A. (23T)	1	-	
3	JA551002	Arandela Caja	4	-	
4	39098717	Pin de Seguridad	5	-	
5	JE551201	Piñon de 3A (18T)	1	-	
5A	JE551203	Piñon de 5A. (22T)	1	-	
6	JE551200	Piñon de 2A. (17T)	1	-	
7	JA551004	Arandela Caja	1	-	
8	JZ551008	Eje Salida	1	-	
9	JZ551210	Buje Piñon de 2A.	1	-	
10	JE551205	Piñon de 2A. (31T)	1	-	
11	JE551208	Piñon de 5A. (20T)	1	-	
12	JE551206	Piñon de 3A. (24T)	1	-	
13	JE551216	Piñon de 4A.(25T)	1	-	
14	JZ551205	Buje Piñon de 1a.	1	-	
15	JE551215	Piñon de 1A. (34T)	1	-	
16	JA551008	Arandela Caja	1	-	
17	JA551009	Buje Eje Salida	1	-	
18	59210024	Anillo Retenedor	1	-	
19	JV551000	Piñon Salida 15T	1	-	
20	DU101213	Arandela Piñon Salida	1	-	
21	LAC00069	Tornillo 5x10	1	-	

FIGURA N° 9A: TRANSMISIÓN PULSAR NS 160 TWIN DISC




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JE551001	Eje Clutch	-	1	
2	JE551202	Piñon de 4A. (23T)	-	1	
3	JH551205	Buje Piñon	-	2	
4	JA551002	Arandela Caja	-	4	
5	39098717	Pin de Seguridad	-	5	
6	JE551201	Piñon de 3A (18T)	-	1	
7	JE551203	Piñon de 5A. (22T)	-	1	
8	JE551200	Piñon de 2A. (17T)	-	1	
9	JA551004	Arandela Caja	-	1	
10	JH551001	Eje Salida	-	1	
11	JH551209	Piñon Salida 15T	-	1	
12	JH551204	Piñon de 2A. (31T)	-	1	
13	JH551206	Piñon de 5A. (20T)	-	1	
14	JE551206	Piñon de 3A. (24T)	-	1	
15	JH551203	Arandela Piñon de 3a.	-	1	
16	JE551216	Piñon de 4A.(25T)	-	1	
17	JE551212	Buje Piñon de 1a.	-	1	
18	JE551215	Piñon de 1A. (34T)	-	1	
19	JE551211	Arandela Caja	-	1	
20	DH101336	Arandela Caja	-	2	
21	DH101235	Pin de Seguridad	-	1	
22	JH551002	Buje Piñon Salida	-	1	
23	30101061	Anillo Retenedor	-	1	
24	JH551202	Arandela Piñon Salida	-	1	
25	DS101355	Tornillo 5 mm.	-	2	

This exploded view diagram illustrates the assembly of a rear suspension system. The components are numbered as follows:

- 1:** A bracket or control arm component, shown in an inset at the top left.
- 2:** A small pin or clip.
- 3:** A long, horizontal shaft or axle.
- 4:** A bolt or screw.
- 5:** A small circular washer or spacer.
- 6:** A U-bolter or bracket.
- 7:** A coiled spring.
- 8:** A small pin or clip.
- 9:** A control arm or lever.
- 10:** A long, angled control arm.
- 11:** A small pin or clip.
- 12:** A large cylindrical component, likely a hub or knuckle.
- 13:** A small circular washer or spacer.
- 14:** A threaded rod or axle.
- 15:** A nut or washer.
- 16:** A small circular washer or spacer.
- 17:** A small pin or clip.
- 18:** A small circular washer or spacer.



This diagram shows an exploded view of a mechanical assembly, likely a pump or engine component, with 14 numbered parts. The main housing (2) is shown in two orientations. The top view shows the internal cavity with a central shaft (8) and a bearing (3). The bottom view shows the external features, including a flange (10) and a mounting bracket (11). A detailed view of the flange (14) is shown separately. The components are labeled as follows:

- 2: Main housing
- 3: Bearing
- 4: Pin
- 5: Pin
- 6: Pin
- 7: Pin
- 8: Shaft
- 9: Pin
- 10: Flange
- 11: Mounting bracket
- 12: Pin
- 13: Pin
- 14: Flange (detail view)



FIGURA N° 13: CARCASA IZQUIERDA




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JE541062	Carcasa Izquierda	1	-	
	36JF0172		-	1	
2	59200036	Rodamiento Bolas 6203HN3C3	1	-	
	39258320	Rodamiento Bolas 6004HN3	-	1	
3	39171519	Retenedor 22-35-7	1	-	
	39218919	Retenedor 26-37-7	-	1	
4	39256220	Rodamiento Aguja	1	1	
5	JA541005	Buje Carcasa	1	1	
6	39219019	Retenedor 12-22-9	1	1	
7	31201081	Swiche Neutra	1	1	
8	DH101784	Arandela de Sellado	1	1	No Ilustrado
9	JE621405	Platina Tope	1	1	
10	DH101380	Tornillo 6x12	1	1	
11	39099906	Pin Guía	2	2	
12	LAE00024	Tornillo 6x55	1	1	
13	JG571024	Cedazo Filtro Aceite	1	1	
14	LJA00004	Anillo Retenedor	1	1	
15	JA541021	Tapón Filtro Aceite	1	1	
16	59210023	Anillo Retenedor	1	1	
17	JE541048	Antivibrante	1	1	
18	59040038	Tornillo	8	8	
19	JE541051	Inyector	1	1	
20	JE541063	Empaque Carcasa	1	1	No Ilustrado
21	39100006	Pin Guía	2	2	

This diagram shows an exploded view of a gear assembly. A dashed line encloses the main components: a large gear (1), a central shaft, a housing (2), and a small gear (3). The housing (2) is shown with a small gear (3) mounted on its shaft. The large gear (1) is shown with a shaft passing through its center. The small gear (3) is shown with a shaft passing through its center. The housing (2) is shown with a small gear (3) mounted on its shaft.



OTS
TWO STARS

This diagram illustrates the exploded view of a mechanical assembly, with components numbered 1 through 15. The assembly includes a handle (12) connected to a lever arm (10). A pivot mechanism (11, 13) is shown at the base of the lever. A long shaft (1) is connected to a spring (9) and a lever (15). A series of gears (7) and springs (6, 8) are shown at the bottom left, along with a small hook (4) and a spring (3). The diagram is a technical illustration of a mechanical assembly, likely a door latch or a similar device, showing the relationship between various components.



FIGURA N° 16: CUBIERTA CLUTCH (1/2)




FIG. No.	PORTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	36JF0135	Cubierta Clutch	1	-	
	36JE0029		-	1	
2	JV541208	Leva Interna Clutch	1	-	
	JE541271		-	1	
3	JE541244	Soporte Cable Clutch	1	1	
4	59040038	Tornillo 6x35	10	10	
5	39167304	Tornillo Tapa Filtro Aceite	3	-	
	LAE00005		-	3	
6	JE541267	Calcomanía Cubierta Clutch	1	1	
6A	39167121	Anillo Retenedor	1	1	
7	56JE1X3V	Tapa Filtro Aceite	1	1	
8	JE571007	Filtro Aceite	1	1	
9	JE551408	Empujador Clutch	1	1	
10	39104119	Reten Leva Interna Clutch (12-20-59)	1	1	
11	DS101215	Pin de Seguridad	1	1	
12	JL541227	Visor Nivel Aceite	1	1	
13	JA541225	Anillo Retenedor	1	1	
14	JA541211	Tapón Aceite	1	1	
15	JE541241	Empaque Cubierta Clutch	1	1	
16	39244311	Arandela	1	1	
17	JE541214	Resorte Leva Interna Clutch	1	-	
	JH541210		-	1	
18	30101142	Reten (16-26-7)	1	1	
19	JE541249	Platina	1	1	
20	AA101437	Tornillo 6x12	1	1	

[illegible]

This diagram illustrates the components of a vehicle's rear suspension system, specifically a rear axle assembly. The main components are labeled as follows:

- 1**: Rear axle housing
- 2**: Bolt
- 3**: Bolt
- 4**: Bolt
- 5**: Bolt
- 6**: Shock absorber
- 7**: Shock absorber mounting bracket
- 8**: Shock absorber mounting bracket
- 9**: Bolt
- 10**: Shock absorber mounting bracket
- 11**: Shock absorber mounting bracket
- 12**: Shock absorber mounting bracket
- 13**: Shock absorber mounting bracket



This exploded view diagram illustrates the components of a pump assembly. The parts are numbered as follows:

- 1**: Main pump housing.
- 2**: Top cap screw.
- 3**: Top cap washer.
- 4**: Mounting bracket (shown in two positions).
- 5**: Impeller.
- 6**: O-ring seal.
- 7**: Gasket.
- 8**: Motor housing.
- 9**: Motor (shown in a separate inset).
- 10**: Motor mounting bracket.



This exploded view diagram illustrates the assembly of a mechanical component. The main assembly consists of a base plate (1) with a central shaft (2) and a gear (3). A spring (4) is mounted on the shaft, and a gear (5) is mounted on the other end. A pin (6) is used to secure the gear (5) to the shaft. A gear (7) is mounted on the shaft, and a pin (8) is used to secure it. A gear (9) is mounted on the shaft, and a pin (10) is used to secure it. A gear (11) is mounted on the shaft, and a pin (12) is used to secure it. A gear (13) is mounted on the shaft, and a pin (14) is used to secure it. A gear (15) is mounted on the shaft, and a pin (16) is used to secure it. A gear (17) is mounted on the shaft, and a pin (18) is used to secure it.



This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor. The parts are numbered as follows:

- 1:** A cylindrical component with a central shaft and a small protrusion on the side.
- 2:** A small, flat, circular component.
- 3:** A gear with 12 teeth.
- 4:** A larger gear with 12 teeth and a central hub.
- 5:** A small, circular, flat component.
- 6:** A bracket or support structure with a spring attached.
- 7:** A small, circular, flat component.
- 8:** A large, circular, flat component with a central hub.
- 9:** A small, circular, flat component.
- 10:** A small, circular, flat component.
- 11:** A small, circular, flat component.
- 12:** A gear with 12 teeth.
- 13:** A small, circular, flat component.
- 14:** A small, circular, flat component.

The diagram shows the relative positions and assembly sequence of these parts, with lines indicating the direction of assembly.



This exploded view diagram illustrates the components of a rear window heating system. The parts are numbered as follows:

- 1**: Rear window heating control module.
- 2**: Rear window heating power distribution box.
- 3**: Left side power connector.
- 4**: Right side power connector.
- 5**: Flexible heating cable.
- 6**: Cable-to-rod connector.
- 7**: Cable-to-rod connector.
- 8**: Heating cable rod.
- 9**: Heating cable rod.
- 10**: Heating cable rod.
- 11**: Heating cable rod.
- 12**: Mounting screw.
- 13**: Mounting screw.
- 14**: Mounting plate.
- 15**: Mounting plate.
- 16**: Mounting bracket.
- 17**: Mounting bracket.
- 18**: Mounting screw.



An exploded view diagram of a kitchen sink unit, showing the following components and their assembly relationships:

- 1**: The main sink unit body, shown in an exploded view with its top cover (2) and base (3).
- 2**: The top cover of the sink unit.
- 3**: The base of the sink unit.
- 4**: A rectangular panel that fits into the top of the sink unit.
- 5**: A small screw used to secure the panel (4) to the sink unit.
- 6**: A small screw used to secure the panel (4) to the sink unit.
- 7**: A curved pipe that connects to the sink unit.
- 8**: A small screw used to secure the pipe (7) to the sink unit.
- 9**: A small screw used to secure the pipe (7) to the sink unit.
- 10**: A small screw used to secure the pipe (7) to the sink unit.
- 11**: A small screw used to secure the pipe (7) to the sink unit.
- 12**: A small screw used to secure the pipe (7) to the sink unit.
- 13**: A small screw used to secure the pipe (7) to the sink unit.
- 14**: A small screw used to secure the pipe (7) to the sink unit.
- 15**: A small screw used to secure the pipe (7) to the sink unit.



pulsar
NS160

This diagram illustrates the exploded view of a carburetor assembly, with components numbered 1 through 15. The central component is the carburetor body (1). Key sub-assemblies and parts include:

- Top Assembly (1):** Includes the float bowl (3) with its gasket (5) and float valve assembly (11).
- Jet and Needle Assembly (6):** Shows the jet (6) and needle (13) components.
- Throttle Linkage (8, 11, 12):** Includes the throttle cable (8), throttle lever (11), and throttle return spring (12).
- Choke and Air Filter (2, 7, 9, 10, 14):** Shows the choke lever (2), air filter (7), choke cable (9), choke return spring (10), and choke assembly (14).
- Other Components (4, 15):** Includes a small pin (4) and a bracket (15).

The diagram uses dashed lines to indicate the assembly sequence and alignment of the various parts.



This exploded view diagram illustrates the components of a motorcycle headlight assembly. The main components are labeled as follows:

- 1**: Headlight housing
- 2**: Headlight lens
- 3**: Headlight mounting bracket
- 4**: Headlight mounting bracket (side view)
- 5**: Headlight mounting bracket (top view)
- 6**: Headlight mounting bracket (bottom view)
- 7**: Headlight mounting bracket (side view)
- 8**: Headlight mounting bracket (bottom view)
- 9**: Headlight mounting bracket (top view)
- 10**: Headlight mounting bracket (side view)
- 11**: Headlight mounting bracket (bottom view)
- 12**: Headlight mounting bracket (top view)
- 13**: Headlight mounting bracket (side view)
- 14**: Headlight mounting bracket (top view)



This exploded view diagram illustrates the components of a motorcycle seat assembly. The parts are numbered as follows:

- 1**: The main seat cushion, shown in a curved, contoured shape.
- 2**: Three small, square-shaped mounting brackets.
- 3**: A small, rectangular plastic component.
- 4**: Two sets of rollers or bushings, each consisting of an outer ring and an inner core.
- 5**: A small, cylindrical component, likely a pin or spacer.
- 6**: Two long, thin screws or bolts.
- 7/14**: A large, curved, triangular-shaped component, possibly a backrest or side panel.
- 8**: Two small, cylindrical components, likely pins or spacers.
- 9**: A complex metal bracket or frame component.
- 10**: A long, flexible, braided hose or cable.
- 11**: Two small, cylindrical components, likely pins or spacers.
- 12**: A small, L-shaped metal bracket.
- 13**: A small, cylindrical component, likely a pin or spacer.
- 14**: A small, cylindrical component, likely a pin or spacer.
- 15**: Two small, cylindrical components, likely pins or spacers.



This exploded view diagram illustrates the components of a motorcycle seat assembly. The parts are numbered as follows:

- 1**: The main seat cushion, shown in a curved, ergonomic shape.
- 2**: Three small, square-shaped mounting brackets.
- 3**: A small, rectangular mounting block.
- 4**: A set of three cylindrical spacers or washers.
- 5**: A cylindrical spacer or washer.
- 6**: Two long screws with hex heads.
- 7/14**: The seat base or subframe, which is a large, curved metal component.
- 8**: Two cylindrical spacers or washers.
- 9**: A metal bracket or mounting plate with multiple holes.
- 10**: A long, flexible braided cable or hose.
- 11**: Two small, circular spacers or washers.
- 12**: A small metal bracket or plate.
- 13**: A small, cylindrical component, possibly a pin or a small screw.
- 14**: A small, cylindrical component, possibly a pin or a small screw.
- 15**: Two screws with hex heads, one shown at the top and one at the bottom left.



This diagram shows an exploded view of a rear axle assembly. The main components are labeled with numbers 1 through 8. The assembly includes a central differential housing (8) with two axle tubes (1) extending from it. The axle tubes are connected to the rear of the vehicle frame via a series of linkages and bushings (2, 3, 4, 5, 6, 7). The diagram illustrates the relative positions and assembly sequence of these parts.



This exploded view diagram illustrates the assembly of a rear suspension component. The main assembly consists of a large, dark-colored metal bracket (1) which houses a coil spring (2). A shock absorber (3) is shown being inserted into the bracket. A series of smaller components, including a pin (4), a bush (5), a pin (6), a bush (7), and a pin (8), are shown being assembled onto the bracket. A separate view shows a small metal plate (9) being placed over the bracket. A final view shows the completed assembly with a small metal plate (10) being placed over the bracket.



This diagram illustrates the assembly of a vehicle chassis component, likely a rear suspension or steering knuckle. The main structural part is a dark-colored metal frame (3). A coil spring (1) is mounted on top, secured by a nut (2). A shock absorber (5) is also attached to the frame. Various bolts (4, 15, 7), washers (14), and pins (16, 17) are used to secure the assembly. A control arm (10) is connected to the frame via a ball joint (11). A brake master cylinder (8) is mounted on the side, with a brake line (9) leading away. A brake caliper (18) is shown at the end of the assembly. The parts are numbered 1 through 18.



FIGURA N° 29: REPOSAPIÉ CONDUCTOR - PASAJERO (1/2)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	56JL3Y1Y	Soporte Reposapie Conductor Der.	1	1	
2	52JL1035	Reposapie Conductor Derecho	1	1	
3	JL113012	Resorte	1	1	
4	JL113033	Platina Soporte Switch Stop	1	1	
5	KACA0820	Tornillo 8x20	4	4	
6	DG161144	Tornillo	2	2	
7	56JL3X1Y	Soporte Reposapie Conductor Izq.	1	1	
8	52JL1024	Reposapie Conductor Izq.	1	1	
9	36JL0041	Kit Pines Reposapie Conductor	2	2	
10	LDA00013	Arandela	1	1	
11	LAC00016	Tornillo 8x35	2	2	
12	56JL4J1Y	Soporte Reposapie Pasajero Izq.	1	1	
13	56JL4L1Y	Soporte Izquierdo	1	1	
14	56JF181Y	Reposapie Pasajero Izquierdo	1	1	
15	56JF191Y	Reposapie Pasajero Derecho	1	1	
16	56JL4K1Y	Soporte Reposapie Pasajero Der.	1	1	
17	56JL4M1Y	Soporte Derecho	1	1	
18	39195404	Tornillo	3	3	
19	JL113028	Antivibrante Reposapie Conductor Izq.	1	1	
20	JD113019	Pin Pasador	4	4	
21	39078408	Pin	4	4	
22	30141031	Anillo Retenedor	4	4	
23	39104011	Arandela	4	4	
24	36JL0015	Kit Pines Reposapie Pasajero	2	2	
25	JL113036	Antivibrante Reposapie Pasajero	2	2	

This exploded view diagram illustrates the assembly of a mechanical component, likely a robotic gripper or a similar actuated mechanism. The parts are numbered 1 through 32. The diagram shows the following components and their assembly relationships:

- Part 1:** A large, complex bracket or housing component.
- Part 2:** A long, narrow rectangular plate or cover, shown with sub-components 3, 6, and 32.
- Part 3:** A small pin or screw used to secure the plate (2).
- Part 4:** A small L-shaped bracket.
- Part 5:** A small cylindrical pin or screw.
- Part 6:** A small cylindrical pin or screw, used in multiple locations.
- Part 7:** A smaller bracket or arm component.
- Part 8:** A small rectangular plate or cover, shown with sub-components 19, 10, and 6.
- Part 9:** A small rectangular plate or cover, shown with sub-components 20, 22, 21, and 23.
- Part 10:** A small cylindrical pin or screw.
- Part 11:** A small cylindrical pin or screw.
- Part 12:** A large, curved arm or lever component.
- Part 13:** A small rectangular plate or cover, shown with sub-components 18, 30, 31, and 25.
- Part 14:** A small rectangular plate or cover.
- Part 15:** A small rectangular plate or cover.
- Part 16:** A long, narrow rectangular plate or cover, shown with sub-components 20, 22, 21, and 23.
- Part 17:** A small rectangular plate or cover.
- Part 18:** A small cylindrical pin or screw.
- Part 19:** A small rectangular plate or cover.
- Part 20:** A small cylindrical pin or screw.
- Part 21:** A small cylindrical pin or screw.
- Part 22:** A small cylindrical pin or screw.
- Part 23:** A small cylindrical pin or screw.
- Part 24:** A small rectangular plate or cover.
- Part 25:** A small cylindrical pin or screw.
- Part 26/27:** A small rectangular plate or cover.
- Part 28:** A small cylindrical pin or screw.
- Part 29:** A small rectangular plate or cover.
- Part 30:** A small cylindrical pin or screw.
- Part 31:** A small cylindrical pin or screw.
- Part 32:** A small cylindrical pin or screw.

The diagram uses dashed lines to indicate the assembly path and alignment of the parts. Some parts are shown in multiple locations, indicating they are used in different sections of the assembly.



This exploded view diagram illustrates the components of a motorcycle rear fender assembly. The parts are numbered as follows:

- 1**: Main rear fender body.
- 2**: Small plastic clip or pin.
- 3**: Small metal pin or bolt.
- 4**: Small plastic fender tip or bracket.
- 5**: Small metal pin or bolt.
- 6**: Small metal pin or bolt.
- 7**: Small metal pin or bolt.
- 8**: Large rear fender bracket or support.
- 10**: Small metal bracket or clip.
- 11**: Small metal pin or bolt.
- 12**: Small metal pin or bolt.
- 13**: Small metal bracket or clip.
- 14**: Small metal bracket or clip.



ESTO SÍ ES VERDADERO RESPALDO Y TRANQUILIDAD PARA TI



¡LOS DEL STICKER ROSADO!

This exploded view diagram illustrates the components of a bicycle seatpost assembly. The parts are numbered as follows:

- 1**: Main seatpost tube.
- 2**: Seatpost clamp.
- 3**: Seatpost clamp cap.
- 4**: Seatpost clamp bolt.
- 5**: Seatpost clamp nut.
- 6**: Seatpost clamp washer.
- 7**: Seatpost clamp cable.
- 8**: Seatpost clamp cable housing.
- 9**: Seatpost clamp bracket.
- 10**: Seatpost clamp bracket cap.
- 11**: Seatpost clamp bracket bolt.
- 12**: Seatpost clamp bracket nut.
- 13**: Seatpost clamp bracket washer.
- 14**: Seatpost clamp bracket cable.
- 15**: Seatpost clamp bracket cable housing.
- 16**: Seatpost clamp bracket cable cap.
- 17**: Seatpost clamp bracket cap nut.
- 18**: Seatpost clamp bracket cap washer.



This diagram illustrates the assembly of a wheel. It shows the following components:

- 1**: A tire, shown as a separate ring.
- 2**: Two small, conical fasteners or pins used for assembly.
- 3**: A wheel rim with a multi-spoke design.
- 4**: Another wheel rim, identical to component 3.
- 5**: Another tire, identical to component 1.

The components are arranged in an exploded view to show their relative positions and how they fit together.



This exploded view diagram illustrates the assembly of a motorcycle wheel. The components are numbered as follows:

- 1**: Axle
- 2/2A**: Axle nut
- 3**: Washer
- 4**: Washer
- 5**: Washer
- 6**: Hub nut
- 7**: Wheel rim
- 8**: Washer
- 9**: Brake disc
- 10**: Bolt
- 11**: Bolt
- 12**: Bolt
- 13**: Bolt
- 14**: Washer
- 15**: Bolt
- 16**: Bolt
- 17**: Bolt
- 18**: Bolt
- 19**: Bolt



[illegible]

The diagram illustrates the assembly of a brake master cylinder. A dashed box on the left contains the main components, with an arrow pointing to a perspective view of the assembled unit. A legend on the right lists parts 6 through 8.

Parts shown in the exploded view:

- 2: Piston pin
- 3: Piston
- 4: Bleed screw
- 5: Brake shoe
- 9: Bleed screw

Legend:

- 6: Retenedor (Retainer)
- 7: Sello de Pistón (Piston Seal)
- Capuchón Tornillo de Sangrado (Bleed Screw Cap)
- Guardapolvo (Dust Guard)
- 8: Aislante (Insulator)
- Pistón (Piston)
- 9: Tornillo de Sangrado (Bleed Screw)
- Resorte Pasta Freno (Brake Paste Spring)



FIGURA N° 36: RUEDA TRASERA PULSAR NS 160 SINGLE DISC




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	LCB00005	Tuerca 10 mm.	4	-	
2	PF131220	Arandela Sprocket	2	-	
3	36JF0006	Kit Sprocket y Cadena	1	-	Ref. Pág. N° 76
4	JD131210	Buje Porta Sprocket	1	-	
5	KPBC6004	Rodamiento Bolas Porta Sprocket	1	-	
6	DS151073	Tornillo Sprocket	4	-	
7	JN131203	Porta Sprocket	1	-	
8	JG131219	Caucho Porta Sprocket	1	-	
9	JD131212	Buje	1	-	
10	KPBB6202	Rodamiento Bolas Rin Trasero	1	-	
11	30151075	Buje Porta Sprocket	1	-	
12	JF131206	Rin Trasero 2.15x17	1	-	
13	30151105	Juego Bandas Traseras	1	-	
14	39072211	Arandela	1	-	
15	JC151004	Leva Freno Trasero	1	-	
16	30151069	Resorte Bandas	2	-	
17	KPBB6302	Rodamiento Bolas Rin Trasero	1	-	
18	JF131601	Plato Porta Banda Trasero	1	-	
19	JC151006	Indicador Desgaste Bandas	1	-	
20	JF131600	Leva Externa Freno Trasero	1	-	
21	JB131224	Tornillo	1	-	
22	JF131209	Buje Porta Bandas Trasero	1	-	
23	JD141003	Empate Cadena	1	-	
24	DS151057	Protector Buje Porta Sprocket	1	-	No Ilustrado

FIGURA N° 36A: RUEDA TRASERA PULSAR NS 160 TWIN DISC




FIG. No.	PORTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JF131236	Eje Rueda Trasera	-	1	
2	LDB00029	Arandela	-	2	
3	DK151014	Buje Eje Rueda Trasera	-	1	
4	LCB00005	Tuerca M10	-	4	
5	PF131220	Arandela Sprocket	-	2	
6	DK151012	Reten Eje Rueda Trasera	-	1	
7	JD131210	Buje Porta Sprocket	-	1	
8	36JF0167	Kit Sprocket y Cadena	-	1	Ref. Pág. N° 76
9	KPAC6005	Rodamiento Bolas	-	1	
10	DK151015	Buje Porta Sprocket	-	1	
11	DS151073	Esparrago Porta Sprocket	-	4	
12	JC151016	Porta Sprocket	-	1	
13	KPBC6202	Rodamiento Bolas	-	1	
14	JG131219	Caucho Porta Sprocket	-	1	
15	DK151022	Buje Rueda Trasera	-	1	
16	KPBC6302	Rodamiento Bolas	-	1	
17	30151082	Reten Rueda Trasera	-	1	
18	JL131930	Disco Freno Trasero	-	1	
19	DK151082	Buje	-	1	
20	DK151081	Buje	-	1	
21	LCJ00002	Tuerca M14	-	1	
22	JD141003	Empate Cadena	-	1	
23	DS151057	Protector Buje Porta Sprocket	-	1	
24	JF131233	Rin Trasero 2.50x17	-	1	

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or valve. The parts are numbered as follows:

- 1:** A coiled spring and a black cap.
- 2:** A small screw, a black pin, a circular gasket, another coiled spring, and another black cap.
- 3:** A large black T-shaped fitting, a small L-shaped bracket, a black cap, a small screw, a black pin, a circular gasket, a coiled spring, and a black cap.
- 4:** A black curved hose with a small loop at one end.
- 5:** A small black cap and a larger black cap.
- 6:** A large black circular cap and a smaller black circular cap.
- 7:** Two small black screws.
- 8:** A black pin.
- 9:** A black pin.
- 10:** A black cap.
- 11:** A black cap.



1

2

3

4

5

6

7

8

9

10



FIGURA N° 39: PEDAL FRENO (1/2)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JF161001	Pedal Freno	1	-	
	JF161009		-	1	
2	DG101339	Caucho Pedal Freno	1	1	
3	59040048	Tornillo Pedal Freno	1	-	
	KADD0830		-	1	
4	JL161005	Eje Pedal Freno	1	-	
	JL161010		-	1	
5	DH191013	Buje Eje Pedal Freno	1	1	
6	31201079	Swiche Stop	1	-	
	JL401406		-	1	
7	39247504	Tornillo Soporte Swiche Stop	1	-	No Ilustrado
	LAD00040		-	1	
8	JL113033	Soporte Swiche Stop	1	1	
9	JL161006	Resorte Swiche Stop	1	1	
10	DH191006	Resorte Eje Pedal Freno	1	1	
11	JL131810	Varilla Freno Trasero	1	-	
12	39019811	Arandela	2	-	
13	36JC0003	Kit Ajuste Varilla Freno	1	-	
14	DJ151042	Varilla de Torque	1	-	
15	DH151029	Tornillo Varilla Torque	1	-	
16	39078912	Arandela de Presión	1	-	
17	39045411	Arandela	1	-	
18	39069415	Tuerca M6	1	-	No Ilustrado
19	39080708	Pin de Seguridad	2	-	
20	DG191048	Tornillo Varilla Torque	1	-	

This diagram illustrates the exploded view of a mechanical assembly, likely a suspension component. The parts are numbered as follows:

- 1**: Main bracket or housing.
- 2**: Cylindrical component, possibly a shock absorber or damper.
- 3**: Small pin or bolt.
- 4**: Flange or mounting plate.
- 5**: Washer or spacer.
- 6**: Piston or rod end.
- 8**: Link or arm.
- 9**: Pin or connector.
- 10**: Washer or spacer.
- 11**: Long, thin rod or shaft.
- 12**: Small pin or bolt.
- 13**: Bracket or support.
- 14**: Bolt or screw.
- 15**: Nut or washer.
- 16**: Washer or spacer.
- 17**: Pin or connector.
- 19**: Pin or connector.
- 20**: Bolt or screw.
- 21**: Nut or washer.
- 22**: Washer or spacer.



FIGURA N° 40: MANUBRIO / ESPEJOS (1/2)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JL151021	Tubo Manubrio Izquierdo	1	1	
2	JF151025	Soporte Tubo Manubrio Izquierdo	1	1	
2A	JL151038	Anillo Retenedor	4	4	
3	39118011	Arandela	2	2	
4	LAC00020	Tornillo 8x55	2	2	
5	JL151028	Tapón Soporte Tubo Manubrio	2	2	
6	JF151027	Soporte Tubo Manubrio Derecho	1	1	
7	JL151034	Tubo Manubrio Derecho	1	1	
8	DG181008	Tornillo	4	5	
9	JL151035	Buje Manubrio	2	2	
10	39242704	Tornillo 6 mm.	2	2	
11	JF161002	Soporte y Leva Clutch	1	1	
12	JG161008	Leva Clutch	1	1	
13	DJ201246	Swiche Clutch	1	1	
14	JL161003	Caucho Manillar Izquierdo	1	1	
15	DT161005	Caucho Manillar Derecho	1	1	
16	JG151022	Tubo Int. Manillar Acelerador	1	1	
17	JF232606	Swiche de Encendido Completo (3 En 1)	1	1	
18	JL401400	Comando Luces Izquierdo	1	1	
19	JL401405	Comando Luces Derecho	1	1	
20	JL231601	Espejo Retrovisor Derecho	1	1	
21	JL231600	Espejo Retrovisor Izquierdo	1	1	
22	JG161010	Leva Freno Delantero	1	1	
23	JF401403	Swiche de Encendido (Solo)	1	1	
24	DJ201109	Swiche Stop	1	1	

This exploded view diagram illustrates the components of a motorcycle handlebar assembly. The parts are numbered as follows:

- 1**: Main handlebar
- 2**: Upper handlebar clamp
- 2A**: Upper handlebar clamp (alternative view)
- 3**: Upper handlebar clamp (alternative view)
- 4**: Upper handlebar clamp (alternative view)
- 5**: Upper handlebar clamp (alternative view)
- 6**: Upper handlebar clamp (alternative view)
- 7**: Lower handlebar clamp
- 8**: Lower handlebar clamp (alternative view)
- 9**: Lower handlebar clamp (alternative view)
- 10**: Lower handlebar clamp (alternative view)
- 11**: Lower handlebar clamp (alternative view)
- 12**: Lower handlebar clamp (alternative view)
- 13**: Lower handlebar clamp (alternative view)
- 14**: Lower handlebar clamp (alternative view)
- 15**: Lower handlebar clamp (alternative view)
- 16**: Lower handlebar clamp (alternative view)
- 17/23**: Lower handlebar clamp (alternative view)
- 18**: Lower handlebar clamp (alternative view)
- 19**: Lower handlebar clamp (alternative view)
- 20**: Lower handlebar clamp (alternative view)
- 21**: Lower handlebar clamp (alternative view)
- 22**: Lower handlebar clamp (alternative view)
- 24**: Lower handlebar clamp (alternative view)
- 25**: Lower handlebar clamp (alternative view)
- 26**: Lower handlebar clamp (alternative view)



FIGURA N° 41: SUSPENSIÓN DELANTERA




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JF151018	Suspensión Delantera	1	1	
2	JF151031	Camisa Tubo Telescópico Izq.	1	1	
3	JF151032	Camisa Tubo Telescópico Der.	1	1	
4	30181025	Tornillo Camisa Telescópico	2	2	
5	30181026	Arandela de Sellado	2	2	
6	36DK0020	Kit Montaje Tubo Telescópico	2	2	Ref. Pág. N° 76
7	DJ181088	Pin de Seguridad	2	2	
8	DJ181087	Reten Tubo Telescópico	2	2	
9	DS181070	Buje Guía Tubo Telescópico	2	2	
10	JY151011	Tornillo Espiga	1	1	
11	DM181010	Arandela	2	2	
12	JF151036	Buje Tubo Telescópico	2	2	
13	JF151033	Tubo Telescópico	2	2	
14	36JF0031	Cilindro Interno Tubo Telescópico	2	2	
15	JF151034	Resorte Tubo Telescópico	2	2	
16	DH181015	Tornillo Tubo Telescópico	2	2	
17	30181029	Anillo Retenedor	2	2	
18	JF151019	Cabeza Espiga	1	1	
19	JF121004	Espiga Central	1	1	
20	DK181025	Arandela	2	2	
21	DK181028	Tornillo 8x35	2	2	
22	DG181008	Tornillo	2	2	
23	DS181071	Buje Guía Tubo Telescópico	2	2	
24	JC181007	Empaque Soporte Farola	2	2	
25	JC181006	Empaque Soporte Farola	2	2	

This exploded view diagram illustrates the assembly of a motorcycle headlight. The components are identified by the following numbers:

- 1**: Main headlight housing
- 2**: Headlight lens
- 3**: Lower mounting bracket
- 4**: Upper mounting pin
- 5**: Upper mounting pin
- 6**: Lower mounting pin
- 7**: Lower mounting pin
- 8**: Side mounting bracket
- 9**: Headlight bulb
- 10**: Upper mounting pin
- 11**: Headlight lens
- 12**: Lower mounting pin



FIGURA N° 43: TANQUE GASOLINA / GRIFO GASOLINA




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JL171081	Tanque Gasolina	1	1	
2	56JL0401	Tapa Tanque Gasolina	1	1	
3	KACA0516	Tornillo Tapa Tanque Gasolina	6	6	
4	JL171049	Antivibrante Tapa Tanque Gasolina	1	1	
5	36JL0012	Kit Antivibrantes Tanque Gasolina	1	1	
6	JL402602	Sensor Nivel de Gasolina	1	1	
6A	DK141028	Anillo Retenedor Sensor Nivel	1	1	No Ilustrado
7	KCGA0505	Tuerca Sensor Nivel Gasolina	4	4	
8	JL171037	Conector Manguera Gasolina	1	1	No Ilustrado
9	JL171063	Manguera Drenaje	1	1	
10	JL171802	Filtro de Gasolina	1	1	
11	JL171036	Conducto Gasolina (Carburador)	1	1	
12	JL171035	Conducto Gasolina (Tanque)	1	1	
13	JL171800	Grifo Gasolina	1	1	
14	JL171060	Anillo Retenedor Perilla Grifo Gasolina	1	1	
15	JL171803	Pin Perilla Grifo Gasolina	1	1	No Ilustrado
16	JL171801	Perilla Grifo Gasolina	1	1	
17	DD141227	Tornillo	2	2	
18	KADF0820	Tornillo	3	3	
19	JL171019	Buje Tanque Gasolina	3	3	
20	JL171018	Antivibrante Delantero Tanque Gasolina	1	1	No Ilustrado
21	KADT0820	Tornillo	2	2	
22	JL171020	Antivibrante Trasero Tanque Gasolina	2	2	
23	JL171085	Resorte Protector Conducto	1	1	No Ilustrado
24	JL171096	Empaque Grifo Gasolina	1	1	

FIGURA N° 44: COMPLEMENTOS CUBIERTAS TANQUE (1/2)




FIG. No.	PORTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JF171004	Soporte Enfocador Derecho	1	1	
2	JF171009	Soporte Enfocador Izquierdo	1	1	
3	JL171057	Antivibrante	4	4	
4	JL171071	Buje Cubierta Tanque	8	8	
5	JL171024	Antivibrante	2	2	
6	JL171070	Antivibrante Cubierta Tanque	8	8	
7	LAC00063	Tornillo M6	2	2	
8	JL171062	Rejilla Derecha	1	1	
9	JL171061	Rejilla Izquierda	1	1	
10	KADB0516	Tornillo	2	2	
11	DJ161229	Tuerca M6	16	16	
12	LAC00022	Tornillo	4	4	
13	KBUB0516	Tornillo	8	8	
14	KADA0512	Tornillo M5	2	2	
15	JL171078	Protector Tanque Gasolina	1	1	Opcional
16	JF113809	Platina Soporte	1	1	
17	JL171040	Buje 6x10	2	2	
18	39194404	Tornillo	2	2	
19	KADM0610	Tornillo 6x10	2	2	
20	39214124	Arandela Nylon	8	8	No Ilustrado
21	JF171001	Cubierta Central Tanque Gas.	1	1	
22	39177802	Tornillo	12	12	
23	31161078	Arandela	4	4	
24	JL191008	Protector Tanque Gasolina Izq.	1	1	
25	JL191009	Protector Tanque Gasolina Der.	1	1	

This exploded view diagram illustrates the assembly of a motorcycle fairing. The central component is the main fairing body (12), which features a large circular cutout. Surrounding it are various sub-components and fasteners:

- Top Section:** Includes two side brackets (1, 2) with multiple mounting points (3, 4, 5, 6, 7, 8, 10). A central bolt (18) and nut (17) are shown. A small plate (16) and a bracket (19) are also indicated.
- Front Section:** Features a large front fender (21) and a smaller front fairing (24). A bracket (26) and a plate (28) are shown on the left. A small bracket (25) is on the right.
- Bottom Section:** Includes a base plate (15) and a bracket (28). A small bracket (25) is also shown.
- Fasteners:** Numerous screws (11, 13, 14, 23) and bolts (10, 22) are shown, along with a set of spacers (29) indicated by a dashed box.

The diagram uses numbered callouts (1 through 29) to identify each individual part and fastener, facilitating the assembly process.



This exploded view diagram illustrates the components of a motorcycle seat assembly. The parts are numbered as follows:

- 1**: Left seat cushion.
- 2**: Bolt for the left seat cushion.
- 3**: Bolt for the left seat cushion.
- 4**: Rear seat frame.
- 5**: Bolt for the rear seat frame.
- 6**: Bolt for the rear seat frame.
- 7**: Bolt for the rear seat frame.
- 8**: Right seat cushion.
- 9**: Bolt for the rear seat frame.
- 10**: Bolt for the rear seat frame.
- 11**: Front seat frame.
- 12**: Bolt for the front seat frame.
- 13**: Bolt for the right seat cushion.
- 14**: Bolt for the right seat cushion.



This diagram shows an exploded view of a motorcycle engine assembly. The components are numbered as follows:

- 1: Main engine block/cylinder assembly.
- 2: A small bolt or screw.
- 3: A small washer or spacer.
- 4: A curved metal bracket or support arm.
- 5: A mounting plate or base bracket.
- 6: A long, curved metal link or arm.
- 7: A small bolt or screw.
- 8: A circular gasket or seal.



This diagram illustrates the components of the rear window wiper system, labeled 1 through 4:

- 1:** A curved wiper blade assembly with a mounting bracket.
- 2:** A long, flexible wiper arm with a mounting bracket at one end and a hook-like end at the other.
- 3:** A circular motor housing with a central shaft and a mounting bracket.
- 4:** A cable with a connector at one end and a plug at the other.



FIGURA N° 48: GUARDACADENA / GUARDABARRO TRASERO (1/2)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JF181211	Guardacadena	1	-	
	JF181340		-	1	
2	JL181297	Buje	7	7	
3	LAC00054	Tornillo	7	-	
	LBU00078		-	7	
4	KACB0622	Tornillo	2	2	
5	JL231209	Tapón	2	2	
6	JF181409	Guardabarro Trasero	1	-	
	JF181464		-	1	
7	JF181005	Soporte Guardabarro	1	-	
	JF181466		-	1	
8	JL181407	Cubierta Soporte Guardabarro	1	-	
	JF181467		-	1	
9	JL181408	Cubierta Soporte Guardabarro	1	-	
	JF181468		-	1	
10	KBUB0410	Tornillo	6	6	
11	LAC00037	Tornillo 6x8	3	3	
12	39026512	Arandela	2	2	
13	LAC00036	Tornillo 8x40	2	-	
	LAC00128		-	2	
14	JL181410	Buje Soporte Guardabarro	2	2	No Ilustrado
15	JF181331	Soporte Cubierta Motor Izquierda	1	-	
	JF181289		-	1	
16	JF181332	Soporte Cubierta Motor Derecha	1	-	
	JF181290		-	1	
17	JY181255	Arandela	4	4	

This exploded view diagram illustrates the assembly of a motorcycle rear fender. The components are numbered as follows:

- 1**: Main rear fender body.
- 2, 3**: Screws for mounting the fender to the frame.
- 4, 5**: Screws for mounting the fender to the frame.
- 6**: Inner fender bracket or support.
- 7**: Mounting bracket for the inner fender.
- 8**: Mounting bracket for the inner fender.
- 9**: Mounting bracket for the inner fender.
- 10**: Mounting bracket for the inner fender.
- 11**: Mounting bracket for the inner fender.
- 12, 13**: Screws for mounting the inner fender.
- 14**: Mounting bracket for the inner fender.
- 15**: Mounting bracket for the inner fender.
- 16**: Mounting bracket for the inner fender.
- 17**: Four rubber feet or spacers.
- 18**: Mounting bracket for the inner fender.
- 19**: Mounting bracket for the inner fender.
- 20**: Mounting bracket for the inner fender.
- 21**: Mounting bracket for the inner fender.
- 22**: Mounting bracket for the inner fender.



FIGURA N° 49: FAROLA / CARENAJE (1/2)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JL181008	Visor Carenaje	1	1	
2	JG181236	Tuerca 5x16	2	2	
3	JG181235	Arandela	2	2	
4	LBS00002	Tornillo	2	2	
5	JL181247	Antivibrante	2	2	
6	JL181203	Carenaje Farola	1	1	
7	KDBA0512	Arandela	6	6	
8	LBR00002	Tornillo	6	6	
9	JL401012	Farola	1	1	
10	KADE0614	Tornillo	2	2	
11	KDAA0611	Arandela	3	3	
12	KBUA0516	Tornillo 5x16	2	2	
13	39214124	Arandela	2	2	
14	JL181236	Soporte Inferior	1	1	
15	JL181249	Antivibrante Farola	2	2	
16	JL181237	Soporte Superior	1	1	
17	JF181210	Soporte Farola	1	1	
18	KACH0835	Tornillo 8x35	4	4	
19	36JL0017	Kit Tornillos Visor Carenaje	1	1	No Ilustrado
20	DH191037	Bombillo Piloto 12V 3W	2	2	
21	EC401030	Bombillo Farola 12V 60/55W	1	1	
22	JL181283	Platina Plástica Farola	1	1	
23	JL181257	Buje Carenaje	4	1	
24	PA181293	Buje Carenaje	4	4	
25	PA181292	Antivibrante	4	4	

This exploded view diagram illustrates the components of a motorcycle headlight assembly. The parts are numbered as follows:

- 1:** Upper headlight lens cover.
- 2:** Upper mounting bracket.
- 3:** Upper mounting pin.
- 4:** Upper mounting pin.
- 5:** Upper mounting pin.
- 6:** Lower mounting bracket.
- 7:** Lower mounting pin.
- 8:** Lower mounting pin.
- 9:** Main headlight housing.
- 10:** Lower mounting pin.
- 11:** Lower mounting pin.
- 12:** Lower mounting pin.
- 13:** Lower mounting pin.
- 14:** Lower mounting bracket.
- 15:** Lower mounting pin.
- 16:** Lower mounting bracket.
- 17:** Lower mounting bracket.
- 18:** Lower mounting pin.
- 19:** Lower mounting pin.
- 20:** Lower mounting pin.
- 21:** Lower mounting pin.
- 22:** Lower mounting bracket.
- 23:** Lower mounting pin.
- 24:** Lower mounting pin.
- 25:** Lower mounting pin.
- 26:** Lower mounting pin.
- 27:** Lower mounting pin.
- 28:** Lower mounting pin.
- 29:** Lower mounting pin.
- 30:** Lower mounting pin.



This exploded view diagram illustrates the assembly of a mechanical component, likely a motorized actuator or a specialized bracket. The parts are numbered 1 through 18. The assembly process is as follows:

- Part 1** (Top Plate) is the base component, featuring a central mounting point with a pin labeled **15** and **16**.
- Part 2** (L-shaped Bracket) is attached to the side of **Part 1** using a pin labeled **18**.
- Part 3** (Pin) is used to secure **Part 4** (Cylindrical Component) to the side of **Part 1**.
- Part 4** is the main cylindrical actuator or motor unit.
- Part 5** (Pin) is used to secure **Part 6** (L-shaped Bracket) to the side of **Part 1**.
- Part 7** (Bracket) is attached to the side of **Part 1** using a pin labeled **13**.
- Part 8** (Pin) is used to secure **Part 9** (Bracket) to the side of **Part 1**.
- Part 10** (Bracket) is attached to the side of **Part 1** using a pin labeled **12**.
- Part 11** (Plate) is attached to the side of **Part 1** using a pin labeled **14**.
- Part 12** (Pin) is used to secure **Part 13** (Bracket) to the side of **Part 1**.
- Part 14** (Bracket) is attached to the side of **Part 1** using a pin labeled **17**.
- Part 15** (Pin) is used to secure **Part 16** (Bracket) to the side of **Part 1**.
- Part 16** is the final component, likely a cover or a mounting plate, which is attached to the side of **Part 1** using a pin labeled **18**.



FIGURA N° 52: EQUIPO ELECTRICO




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JF402231	Instalación Eléctrica	1	1	
2	DS201025	Flasher	1	1	
3	30191048	Abrazadera 123 mm.	5	5	
4	30201064	Abrazadera 149 mm.	3	3	
5	JL402201	Cable (Relay a Motor)	1	1	No Ilustrado
6	JF402242	Cable Batería (Tierra)	1	1	No Ilustrado
7	JF401600	Pito	1	1	
8	39150711	Arandela	1	1	
9	39195604	Tornillo M8	1	1	
10	JF181253	Caja Batería	1	1	
11	JG401808	Antivibrante	12	12	
12	JF401802	Banda Batería	1	1	
13	KAEM0614	Tornillo	4	4	
14	MTX5L-BS-MEGA	Batería 12V (Seca)	1	1	Marca MEGABAT
	MTX5L-BS-GEL-MEGA	Batería 12V (Gel)	1	1	Marca MEGABAT
	MF12V5-1A-GEL	Batería 12V (Gel)	1	1	Marca SUN
15	JN351604	Relay Arranque	1	1	
16	AK201012	Fusible 10A	1	1	
17	AP201025	Fusible 15A	2	2	
18	PA402204	Abrazadera 110 mm.	2	2	No Ilustrado
19	DT402006	Unidad Control Luz Farola	1	1	
20	JL181264	Buje	4	4	
21	JF181254	Antivibrante	1	1	
22	JF113843	Soporte Instalacion Electrica	1	1	
23	KADD0610	Tornillo 6x10	2	2	
24	JL113841	Abrazadera	9	9	



This diagram illustrates the components of a motorcycle fairing kit, numbered 1 through 11. The parts are arranged in an exploded view to show their relative positions and assembly points. Part 1 is a side fairing, 2 and 3 are upper fairings, 4 is the front fairing, 5 and 6 are lower fairings, 7 and 8 are side fairings, 9 is a central fairing, and 10 and 11 are rear fairings.



FIGURA N° 55: CALCOMANÍAS (1/3)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JL233316	Emblema "PULSAR" Izq. y Der.	2	2	
2	20006745	Calcomanía Enfocador "160" Derecha	1	1	
3	20006744	Calcomanía Enfocador "160" Izquierda	1	1	
4	20006747	Calcomanía Cubierta Tanque Derecha	1	1	Moto Roja
	20006759	" " "	1	1	Moto Blanca
	20006781	" " "	1	1	Moto Negra
	20006770	" " "	1	1	Moto Gris
	20007882	" " "	1	1	Moto Amarilla
	20008615	" " "	-	1	Moto Verde
5	20006746	Calcomanía Cubierta Tanque Izquierda	1	1	Moto Roja
	20006758	" " "	1	1	Moto Blanca
	20006780	" " "	1	1	Moto Negra
	20006769	" " "	1	1	Moto Gris
	20007883	" " "	1	1	Moto Amarilla
	20008614	" " "	-	1	Moto Verde
6	20006749	Calcomanía Tapa Lateral Derecha	1	1	Moto Roja
	20006761	" " "	1	1	Moto Blanca
	20006772	" " "	1	1	Moto Gris
	20007880	" " "	1	1	Moto Amarilla
	20008587	" " "	-	1	Moto Verde
7	20006748	Calcomanía Tapa Lateral Izquierda	1	1	Moto Roja
	20006760	" " "	1	1	Moto Blanca
	20006771	" " "	1	1	Moto Gris
	20007881	" " "	1	1	Moto Amarilla
	20008588	" " "	-	1	Moto Verde

FIGURA N° 55: CALCOMANÍAS (2/3)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
8	20006743	Calcomanía Carenaje Derecha	1	1	Moto Roja
	20006757	" " "	1	1	Moto Blanca
	20006779	" " "	1	1	Moto Negra
	20006768	" " "	1	1	Moto Gris
	20007865	" " "	1	1	Moto Amarilla
	20008583	" " "	-	1	Moto Verde
9	20006742	Calcomanía Carenaje Izquierda	1	1	Moto Roja
	20006756	" " "	1	1	Moto Blanca
	20006778	" " "	1	1	Moto Negra
	20006767	" " "	1	1	Moto Gris
	20007864	" " "	1	1	Moto Amarilla
	20008582	" " "	-	1	Moto Verde
10	20006741	Calcomanía Guardabarro Delantero Der.	1	1	Moto Roja
	20006755	" " "	1	1	Moto Blanca
	20006777	" " "	1	1	Moto Negra
	20006766	" " "	1	1	Moto Gris
	20007863	" " "	1	1	Moto Amarilla
	20008581	" " "	-	1	Moto Verde
11	20006740	Calcomanía Guardabarro Delantero Izq.	1	1	Moto Roja
	20006754	" " "	1	1	Moto Blanca
	20006776	" " "	1	1	Moto Negra
	20006765	" " "	1	1	Moto Gris
	20007862	" " "	1	1	Moto Amarilla
	20008580	" " "	-	1	Moto Verde

FIGURA N° 55: CALCOMANÍAS (3/3)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
12	20006751	Calcomanía Cubierta Sillín Derecha	1	1	Moto Roja
	20006763	" " "	1	1	Moto Blanca
	20006785	" " "	1	1	Moto Negra
	20006774	" " "	1	1	Moto Gris
	20007867	" " "	1	1	Moto Amarilla
	20008585	" " "	-	1	Moto Verde
13	20006750	Calcomanía Cubierta Sillín Izquierda	1	1	Moto Roja
	20006762	" " "	1	1	Moto Blanca
	20006784	" " "	1	1	Moto Negra
	20006773	" " "	1	1	Moto Gris
	20007866	" " "	1	1	Moto Amarilla
	20008584	" " "	-	1	Moto Verde
14	20006753	Calcomanía Rin Del. - Tras.	8	8	Moto Roja
	20006764	" " "	8	8	Moto Blanca
	20006775	" " "	8	8	Moto Negra - Moto Gris
	20007868	" " "	8	8	Moto Amarilla
	20008586	" " "	-	8	Moto Verde
15	JF233124	Calcomanía Enfocador Radiador	2	2	
16	JL191009	Calcomanía Protector Cubierta Tanque Der.	1	1	
17	JL191008	Calcomanía Protector Cubierta Tanque Izq.	1	1	
18	20000673	Calcomanía Protector Sillín Derecha	1	1	
19	20000671	Calcomanía Protector Sillín Izquierda	1	1	
20	JL233002	Calcomanía Logo "BAJAJ"	1	1	

FIGURA N° 56: CALCOMANÍAS Y ACCESORIOS EDICIÓN PRO (1/3)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
1	JL233316	Emblema "PULSAR" Izq. y Der.	2	2	
2	20006745	Calcomanía Enfocador "160" Derecha	1	1	
3	20006744	Calcomanía Enfocador "160" Izquierda	1	1	
4	20006747	Calcomanía Cubierta Tanque Derecha	1	1	Moto Roja
	20006759	" " "	1	1	Moto Blanca
	20006770	" " "	1	1	Moto Gris
	20007888	" " "	1	1	Moto Azul
5	20006746	Calcomanía Cubierta Tanque Izquierda	1	1	Moto Roja
	20006758	" " "	1	1	Moto Blanca
	20006769	" " "	1	1	Moto Gris
	20007891	" " "	1	1	Moto Azul
6	20006749	Calcomanía Tapa Lateral Derecha	1	1	Moto Roja
	20006761	" " "	1	1	Moto Blanca
	20006772	" " "	1	1	Moto Gris
	20005964	" " "	1	1	Moto Azul
7	20006748	Calcomanía Tapa Lateral Izquierda	1	1	Moto Roja
	20006760	" " "	1	1	Moto Blanca
	20006771	" " "	1	1	Moto Gris
	20005965	" " "	1	1	Moto Azul
8	20006743	Calcomanía Carenaje Derecha	1	1	Moto Roja
	20006757	" " "	1	1	Moto Blanca
	20006779	" " "	1	1	Moto Negra
	20006768	" " "	1	1	Moto Gris
	20005596	" " "	1	1	Moto Azul

FIGURA N° 56: CALCOMANÍAS Y ACCESORIOS EDICIÓN PRO (2/3)




FIG. No.	PORTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
9	20006742	Calcomanía Carenaje Izquierda	1	1	Moto Roja
	20006756	" " "	1	1	Moto Blanca
	20006778	" " "	1	1	Moto Negra
	20006767	" " "	1	1	Moto Gris
	20005595	" " "	1	1	Moto Azul
10	20006741	Calcomanía Guardabarro Delantero Der.	1	1	Moto Roja
	20006755	" " "	1	1	Moto Blanca
	20006777	" " "	1	1	Moto Negra
	20006766	" " "	1	1	Moto Gris
	20005433	" " "	1	1	Moto Azul
11	20006740	Calcomanía Guardabarro Delantero Izq.	1	1	Moto Roja
	20006754	" " "	1	1	Moto Blanca
	20006776	" " "	1	1	Moto Negra
	20006765	" " "	1	1	Moto Gris
	20005432	" " "	1	1	Moto Azul
12	20006751	Calcomanía Cubierta Sillín Derecha	1	1	Moto Roja
	20006763	" " "	1	1	Moto Blanca
	20006785	" " "	1	1	Moto Negra
	20006774	" " "	1	1	Moto Gris
	20005599	" " "	1	1	Moto Azul
13	20006750	Calcomanía Cubierta Sillín Izquierda	1	1	Moto Roja
	20006762	" " "	1	1	Moto Blanca
	20006784	" " "	1	1	Moto Negra
	20006773	" " "	1	1	Moto Gris
	20005598	" " "	1	1	Moto Azul

1. Pulsar logo
2. Upper front fairing (left)
3. Upper front fairing (right)
4. Lower front fairing (left)
5. Lower front fairing (right)
6. Side fairing (left)
7. Side fairing (right)
8. Side fairing (left)
9. Side fairing (right)
10. Side fairing (left)
11. Side fairing (right)
12. Side fairing (left)
13. Side fairing (right)
14. Side fairing (left)
15. Side fairing (right)
16. Side fairing (left)
17. Side fairing (right)
18. Side fairing (left)
19. Side fairing (right)
20. Side fairing (left)
21. Side fairing (right)
22. Side fairing (left)
23. Side fairing (right)
24. Side fairing (left)



1. Pulsar 1800 logo

2. Left side mirror

3. Right side mirror

4. Left side fairing (lower)

5. Right side fairing (lower)

6. Left side fairing (upper)

7. Right side fairing (upper)

8. Left side fairing (lower, white)

9. Right side fairing (lower, white)

10. Left side fairing (upper, black)

11. Right side fairing (upper, black)

12. Left side fairing (lower, red)

13. Right side fairing (lower, red)

14. Left side fairing (upper, white)

15. Left side fairing (lower, black)

16. Right side fairing (lower, black)

17. Left side fairing (upper, black)

18. Right side fairing (upper, black)

19. Headlight

20. Left side fairing (lower, yellow)



Technical drawing of a mechanical assembly, likely a bicycle rear suspension. The drawing includes three numbered callouts:

- 1**: Points to the main rear suspension assembly, showing a shock absorber and a linkage arm.
- 2**: Points to two views of a component, likely a shock absorber or a bracket, shown from different perspectives.
- 3**: Points to a curved bracket or arm.
- 4**: Points to another curved bracket or arm, similar to 3 but with a different shape.





pulsar
NS160

FIGURA N° 59: CALCOMANÍAS EDICIÓN PULSARMANIA (2/2)




FIG. No.	PARTE No.	DESCRIPCIÓN	SINGLE DISC	TWIN DISC	OBSERVACIÓN
14	20008736	Calcomanía Cubierta Tanque Trasera Der.	-	1	Moto Gris - Verde
	20012507		-	1	Moto Gris - Rojo
15	20008737	Calcomanía Cubierta Tanque Trasera Izq.	-	1	Moto Gris - Verde
	20012508		-	1	Moto Gris - Rojo
16	20008739	Calcomanía Tanque Gasolina Superior Der.	-	1	Moto Gris - Verde
	20012511		-	1	Moto Gris - Rojo
17	20008940	Calcomanía Tanque Gasolina Superior Izq.	-	1	Moto Gris - Verde
	20012510		-	1	Moto Gris - Rojo
18	20008755	Calcomanía Tanque Gasolina Derecha	-	1	
19	20008758	Calcomanía Tanque Gasolina Izquierda	-	1	
20	20008734	Calcomanía Tapa Lateral Derecha	-	1	Moto Gris - Verde
	20012505		-	1	Moto Gris - Rojo
21	20008735	Calcomanía Tapa Lateral Izquierda	-	1	Moto Gris - Verde
	20012506		-	1	Moto Gris - Rojo
22	20008743	Calcomanía Cubierta Sillín Superior Der.	-	1	Moto Gris - Verde
	20012516		-	1	
23	20008744	Calcomanía Cubierta Sillín Superior Izq.	-	1	Moto Gris - Verde
	20012517		-	1	
24	20008740	Calcomanía Cubierta Sillín Inferior	-	2	
25	20008738	Calcomanía Rin Del. - Tras.	-	4	Moto Gris - Verde
	20012509		-	4	Moto Gris - Rojo
26	JL191009	Calcomanía Protector Cubierta Tanque Der.	-	1	
27	JL191008	Calcomanía Protector Cubierta Tanque Izq.	-	1	
28	20000673	Calc. Protectora Tapa Lateral Der.	-	1	
29	20000671	Calc. Protectora Tapa Lateral Izq.	-	1	
30	JL233002	Calcomanía Logo "BAJAJ"	-	1	

Diagram illustrating the components of a motorcycle rear subframe assembly, numbered 1 through 8:

1. Main subframe assembly (includes the main frame and the rear swingarm).
2. Two side plates (left and right) that fit onto the main subframe.
3. Left side plate mounting bracket.
4. Right side plate mounting bracket.
5. Left side plate (textured surface).
6. Right side plate (textured surface).
7. Left side plate (smooth surface, with "LSE" branding).
8. Right side plate (smooth surface).



LISTA DE KITS

Ítem	Referencia	Descripción	Contenido del Kit		
			Referencia	Descripción	Cant.
1	36DK0020	Kit Montaje Tubo Telescópico	NA	Guardapolvo	2
			NA	Arandela	2
			DJ181088	Pin de Seguridad	2
			DS181070	Buje Guía Tubo Telescópico	2
2	36JF0006	Kit Sprocket y Cadena	JF141000	Cadena Tipo O-Ring 134L	1
			NA	Sprocket Trasero 45T	1
			JV551000	Piñon Delantero 15T	1
3	36JF0007	Kit Moñón Crank	NA	Moñón Crank	1
			NA	Resorte Leva Crank	1
			30101236	Balín	1
			22150241	Arandela	1
			NA	Pasador Moñón Crank	1
			39085517	Arandela Crank	1
4	36JF0025	Kit Resorte y Arandela Válvula	JD511203	Arandela Resorte Válvula	2
			39201719	Reten Válvula	2
			JE511216	Resorte Válvula	2
			JD511205	Arandela Resorte Válvula	2
			DG101029	Cuña Válvula	4
5	36JF0167	Kit Sprocket y Cadena	NA	Cadena Tipo O-Ring 136L	1
			DX151021	Sprocket Trasero 46T	1
			JH551209	Piñon Delantero 15T	1

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
01100905	16	12
10047135	24	70
10062276	6	22
14151033	14	21
20000183	3	72
20000183	3	75
20000185	4	72
20000185	4	75
20000671	19	67
20000671	19	70
20000671	18	71
20000671	29	74
20000673	18	67
20000673	18	70
20000673	17	71
20000673	28	74
20001257	8	75
20002939	21	70
20002940	22	70
20005348	23	70
20005348	1	72
20005348	1	75
20005432	11	69
20005433	10	69
20005595	9	69
20005596	8	68
20005598	13	69
20005599	12	69
20005669	14	70
20005821	1	73
20005964	6	68
20005965	7	68
20006740	11	66
20006740	11	69

PARTE No.	FIG. No.	PAG. No.
20006741	10	66
20006741	10	69
20006742	9	66
20006742	9	69
20006743	8	66
20006743	8	68
20006744	3	65
20006744	3	68
20006744	7	71
20006745	2	65
20006745	2	68
20006745	6	71
20006746	5	65
20006746	5	68
20006747	4	65
20006747	4	68
20006748	7	65
20006748	7	68
20006749	6	65
20006749	6	68
20006750	13	67
20006750	13	69
20006751	12	67
20006751	12	69
20006753	14	67
20006753	14	70
20006754	11	66
20006754	11	69
20006754	5	71
20006755	10	66
20006755	10	69
20006755	4	71
20006756	9	66
20006756	9	69

PARTE No.	FIG. No.	PAG. No.
20006756	3	71
20006757	8	66
20006757	8	68
20006757	2	71
20006758	5	65
20006758	5	68
20006759	4	65
20006759	4	68
20006760	7	65
20006760	7	68
20006761	6	65
20006761	6	68
20006762	13	67
20006762	13	69
20006763	12	67
20006763	12	69
20006764	14	67
20006764	14	70
20006765	11	66
20006765	11	69
20006766	10	66
20006766	10	69
20006767	9	66
20006767	9	69
20006768	8	66
20006768	8	68
20006769	5	65
20006769	5	68
20006769	11	71
20006770	4	65
20006770	4	68
20006770	10	71
20006771	7	65
20006771	7	68

PARTE No.	FIG. No.	PAG. No.
20006772	6	65
20006772	6	68
20006773	13	67
20006773	13	69
20006774	12	67
20006774	12	69
20006775	14	67
20006775	14	70
20006776	11	66
20006776	11	69
20006777	10	66
20006777	10	69
20006778	9	66
20006778	9	69
20006779	8	66
20006779	8	68
20006780	5	65
20006781	4	65
20006784	13	67
20006784	13	69
20006785	12	67
20006785	12	69
20007839	8	71
20007840	9	71
20007843	14	71
20007844	20	71
20007856	7	27
20007862	11	66
20007863	10	66
20007864	9	66
20007865	8	66
20007866	13	67
20007867	12	67
20007868	14	67

PARTE No.	FIG. No.	PAG. No.
20007880	6	65
20007881	7	65
20007882	4	65
20007883	5	65
20007887	1	27
20007888	4	68
20007891	5	68
20008296	13	71
20008297	12	71
20008580	11	66
20008581	10	66
20008582	9	66
20008583	8	66
20008584	13	67
20008585	12	67
20008586	14	67
20008587	6	65
20008588	7	65
20008614	5	65
20008615	4	65
20008723	1	27
20008724	7	27
20008726	12	73
20008727	13	73
20008728	2	73
20008729	3	73
20008730	10	73
20008731	11	73
20008732	8	73
20008733	9	73
20008734	20	74
20008735	21	74
20008736	14	74
20008737	15	74

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
20008738	25	74
20008739	16	74
20008740	24	74
20008743	22	74
20008744	23	74
20008753	4	73
20008754	5	73
20008755	18	74
20008756	6	73
20008757	7	73
20008758	19	74
20008807	6	75
20008808	5	75
20008849	7	75
20008940	17	74
20012422	1	27
20012423	7	27
20012499	12	73
20012500	13	73
20012501	2	73
20012502	3	73
20012503	10	73
20012504	11	73
20012505	20	74
20012506	21	74
20012507	14	74
20012508	15	74
20012509	25	74
20012510	17	74
20012511	16	74
20012512	4	73
20012513	5	73
20012516	22	74
20012517	23	74

PARTE No.	FIG. No.	PAG. No.
20012523	6	73
20012524	7	73
22150241	14	16
22150241	3	76
30101061	23	10
30101142	18	17
30101195	3	20
30101236	28	33
30101236	3	76
30141031	22	32
30151033	13	37
30151069	16	40
30151075	11	40
30151082	17	41
30151105	13	40
30151118	17	37
30181025	4	48
30181026	5	48
30181029	17	48
30191048	3	62
30201064	4	62
31101173	3	7
31161078	23	51
31201079	6	44
31201081	7	14
39019811	12	44
39024011	12	21
39026512	12	56
39032615	12	34
39042215	11	35
39045411	11	31
39045411	17	44
39055302	12	31
39059417	4	5

PARTE No.	FIG. No.	PAG. No.
39069415	18	44
39071111	5	49
39072211	14	40
39072211	7	53
39073817	3	16
39078408	21	32
39078912	16	44
39080708	19	44
39080808	11	12
39085517	3	76
39090012	19	37
39098717	4	9
39098717	5	10
39099206	7	11
39099311	6	16
39099906	9	13
39099906	11	14
39099906	2	15
39099906	23	18
39099906	10	20
39100006	3	6
39100006	21	14
39104011	23	32
39104119	10	17
39105315	15	31
39105515	31	33
39118011	3	46
39122515	21	45
39122515	3	60
39128321	7	3
39150711	8	62
39153721	22	45
39155304	9	21
39156121	22	18

PARTE No.	FIG. No.	PAG. No.
39166005	2	3
39167121	6A	17
39167204	5	19
39167304	13	5
39167304	5	17
39167304	2	22
39167404	8	3
39168904	5	35
39169801	11	34
39171519	3	14
39177802	22	51
39190204	8	12
39190701	15	61
39194304	5	53
39194404	18	51
39195404	18	32
39195604	3	29
39195604	9	62
39197015	8	63
39201719	1	4
39201719	4	76
39214124	20	51
39214124	13	58
39218919	3	14
39219019	6	14
39220011	7	7
39220011	11	21
39229515	14	26
39240817	8	16
39242704	10	46
39244311	16	17
39247504	7	44
39248415	13	61
39249211	15	26

PARTE No.	FIG. No.	PAG. No.
39256120	2	7
39256220	11	13
39256220	4	14
39258320	2	14
39260801	10	3
39262921	6	3
39266921	12	5
39272315	7	29
59040038	18	14
59040038	4	17
59040038	4	20
59040048	3	44
59040050	17	3
59150003	12	37
59150014	10	7
59200036	3	13
59200036	2	14
59210019	18	37
59210023	16	14
59210024	18	9
020248/00	13	34
020982/00	11	61
110/80-17-NR48-TL	5	36
120/80-17-MR136-TL	5	36
120/80-17MR144-TLM	5	36
120/80-17MR561-TLM	5	36
120/80-17-NR57-TL	5	36
36DH4172	2	42
36DH4173	1	42
36DH4174	2	43
36DH4175	3	43
36DH4176	5	43
36DH4177	4	43
36DH4178	6	43

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
36DH4179	7	43
36DH4180	8	43
36DK0020	6	48
36DK0020	1	76
36JC0003	13	44
36JE0029	1	17
36JF0005	10	5
36JF0006	3	40
36JF0006	2	76
36JF0007	11	16
36JF0007	3	76
36JF0015	7	39
36JF0016	6	39
36JF0017	8	39
36JF0025	9	4
36JF0025	4	76
36JF0031	14	48
36JF0042	2	6
36JF0044	14	38
36JF0045	14A	38
36JF0117	1	6
36JF0130	2	13
36JF0133	16	21
36JF0134	3	3
36JF0135	1	17
36JF0139	5	25
36JF0140	6	25
36JF0141	8	25
36JF0142	9	25
36JF0167	8	41
36JF0167	5	76
36JF0172	1	14
36JG0011	3	30
36JL0012	5	50

PARTE No.	FIG. No.	PAG. No.
36JL0013	2	27
36JL0015	24	32
36JL0017	19	58
36JL0031	29	52
36JL0041	9	32
36JZ0121	5	21
40326E	13	27
40327E	14	28
40373E	13	27
40376E	14	28
40380E	13	27
40381E	14	28
40382E	13	27
40383E	14	28
52JA0029	6	13
52JE0074	1	1
52JE0212	1	20
52JE0299	1	20
52JF0063	8	29
52JF0089	10	12
52JF0418	11	49
52JF0426	12	49
52JL0072	17	35
52JL1024	8	32
52JL1035	2	32
52JZ0264	1	12
56JE1X3V	7	17
56JF181Y	14	32
56JF191Y	15	32
56JL023G	2	61
56JL0401	2	50
56JL3X1Y	7	32
56JL3Y1Y	1	32
56JL4J1Y	12	32

PARTE No.	FIG. No.	PAG. No.
56JL4K1Y	16	32
56JL4L1Y	13	32
56JL4M1Y	17	32
90/80-17-NR77UZ-TL	1	36
90/90-17-MR-109-TL	1	36
90/90-17MR144-TL-M	1	36
90/90-17-NF53-TL	1	36
AA101437	20	17
AK201012	16	62
AN101347	14	37
AN111015	8	23
AP101236	3	5
AP201025	17	62
BA102004	13	13
BA102004	24	18
BF561219	4	12
CS101128	11	5
DD101062	15	5
DD101097	12	16
DD111011	7	23
DD111012	5	23
DD111018	11	23
DD141227	17	50
DD201002	14	61
DE151008	3	37
DE151012	4	37
DE191010	10	38
DE191028	7	38
DE191029	6	38
DE191033	15	38
DF161102	12	35
DG101029	8	4
DG101029	4	76
DG101339	2	44

PARTE No.	FIG. No.	PAG. No.
DG121002	12	24
DG121003	8	2
DG161124	2	35
DG161144	6	32
DG171016	4	31
DG171018	5	31
DG171019	6	31
DG181008	8	46
DG181008	22	48
DG191048	20	44
DH101048	7	5
DH101048	9	7
DH101048	5	8
DH101235	21	10
DH101336	20	10
DH101380	10	14
DH101380	13	22
DH101392	16	5
DH101509	14	12
DH101607	5	26
DH101648	13	21
DH101784	8	14
DH111013	9	23
DH121064	10	25
DH121093	2	25
DH121162	14	25
DH121167	7	25
DH121170	3	25
DH151029	15	44
DH161146	16	35
DH161158	9	53
DH181015	16	48
DH191006	10	44
DH191013	5	44

PARTE No.	FIG. No.	PAG. No.
DH191037	20	58
DH191062	4	38
DH201079	2	37
DH201079	3	55
DH201080	4	55
DH201081	2A	37
DJ101064	7	26
DJ151042	14	44
DJ151069	2	39
DJ151070	3	39
DJ151094	16	37
DJ161069	3	34
DJ161228	9	20
DJ161229	3	49
DJ161229	11	51
DJ161229	16	61
DJ181087	8	48
DJ181088	7	48
DJ181088	1	76
DJ191029	2	38
DJ191030	3	38
DJ191031	5	38
DJ201072	18	61
DJ201109	9	38
DJ201109	24	46
DJ201173	8	53
DJ201246	13	46
DJ221019	1	63
DK101237	12	19
DK101340	11	3
DK101366	13	19
DK101386	8	5
DK141028	6A	50
DK151012	6	41

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
DK151014	3	41
DK151015	10	41
DK151022	15	41
DK151026	2	36
DK151069	11	38
DK151081	20	41
DK151082	19	41
DK181025	20	48
DK181028	21	48
DK181075	9	30
DK181076	10	30
DK211007	3	27
DK221024	2	63
DM181010	11	48
DP161145	11	61
DS101117	4	16
DS101154	3	8
DS101215	11	17
DS101355	25	10
DS121126	11	24
DS141012	6	30
DS141012	9	49
DS141012	3	53
DS151057	24	40
DS151057	23	41
DS151073	6	40
DS151073	11	41
DS161125	2	34
DS161287	6	27
DS181070	9	48
DS181070	1	76
DS181071	23	48
DS191052	25	47
DS201025	2	62

PARTE No.	FIG. No.	PAG. No.
DS211004	5	30
DS221001	22	57
DT113014	26	33
DT113015	27	33
DT113848	7	31
DT113854	12	53
DT161005	15	46
DT181323	7	30
DT402006	19	62
DT581028	6	24
DT581062	3	24
DU101213	20	9
DX151021	5	76
EC401030	21	58
FD101078	3	15
FD211006	4	27
GH201012	7	60
GL621414	5	22
JA351627	7	22
JA541005	5	14
JA541005	6	20
JA541010	8	8
JA541010	5	13
JA541012	7	13
JA541021	15	14
JA541211	14	17
JA541225	13	17
JA541233	2	20
JA551002	3	9
JA551002	4	10
JA551004	7	9
JA551004	9	10
JA551008	16	9
JA551009	17	9

PARTE No.	FIG. No.	PAG. No.
JA551406	2	21
JA621002	5	16
JA621006	2	16
JA621206	13	16
JB131018	11	37
JB131224	21	40
JB181223	4	30
JB181223	5	54
JB511018	5	3
JC151004	15	40
JC151006	19	40
JC151016	12	41
JC181006	25	48
JC181007	24	48
JD113019	20	32
JD113814	12	2
JD113815	13	2
JD131210	4	40
JD131210	7	41
JD131212	9	40
JD131811	10	37
JD141003	23	40
JD141003	22	41
JD191006	8	27
JD351206	15	23
JD401007	4	61
JD511203	4	76
JD511205	4	76
JD551400	10	21
JD561004	3	11
JD561006	2	11
JD561011	6	11
JD561204	7	12
JD561416	13	12

PARTE No.	FIG. No.	PAG. No.
JE351009	12	22
JE351018	8	22
JE351025	12	22
JE351035	8	22
JE351212	6	23
JE351236	3	23
JE351238	4	23
JE351243	1	23
JE351400	9	3
JE351403	5	6
JE351600	1	22
JE501043	1	13
JE501071	1	13
JE511038	3	1
JE511040	4	1
JE511047	1	3
JE511052	16	3
JE511053	2	1
JE511060	10	4
JE511078	1	2
JE511085	4	3
JE511087	3	3
JE511208	2	4
JE511209	3	4
JE511212	4	4
JE511213	5	4
JE511216	4	76
JE511221	7	4
JE511225	6	4
JE511233	9	5
JE511234	6	5
JE511241	5	5
JE511251	1	5
JE521016	14	5

PARTE No.	FIG. No.	PAG. No.
JE521030	4	6
JE521215	6	6
JE531033	5	7
JE531040	1	7
JE531045	6	7
JE531045	17	21
JE531052	1	7
JE531202	1	8
JE541028	12	13
JE541048	17	14
JE541051	19	14
JE541060	2	13
JE541062	1	14
JE541063	20	14
JE541214	17	17
JE541228	8	20
JE541240	7	20
JE541241	15	17
JE541242	21	18
JE541243	11	22
JE541244	3	17
JE541249	19	17
JE541267	6	17
JE541271	2	17
JE551001	1	9
JE551001	1	10
JE551200	6	9
JE551200	8	10
JE551201	5	9
JE551201	6	10
JE551202	2	9
JE551202	2	10
JE551203	5A	9
JE551203	7	10

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
JE551205	10	9
JE551206	12	9
JE551206	14	10
JE551208	11	9
JE551211	19	10
JE551212	17	10
JE551213	11	7
JE551214	4	8
JE551215	15	9
JE551215	18	10
JE551216	13	9
JE551216	16	10
JE551408	9	17
JE551413	6	21
JE551414	4	21
JE551415	7	21
JE551428	1	21
JE551430	3	21
JE561004	9	11
JE561005	5	11
JE561006	1	11
JE561200	3	12
JE571007	8	17
JE571009	1	15
JE571213	25	18
JE571215	1	19
JE571216	8	19
JE571219	7	19
JE571223	3	19
JE571224	11	19
JE571225	10	19
JE571227	4	19
JE571239	6	19
JE581011	6	1

PARTE No.	FIG. No.	PAG. No.
JE581011	9	24
JE581051	4	24
JE581053	2	2
JE581054	10	2
JE581055	7	2
JE581060	4	2
JE581068	13	24
JE581075	9	2
JE581076	18	2
JE581079	7	24
JE581080	1	24
JE581239	15	25
JE581255	1	25
JE581407	14	3
JE581416	21	2
JE581423	12	3
JE581426	18	3
JE581428	15	3
JE582606	20	2
JE591046	4	26
JE591048	1	26
JE591179	2	26
JE621002	1	16
JE621003	9	16
JE621004	15	16
JE621203	10	16
JE621402	3	22
JE621403	14	22
JE621404	4	22
JE621405	9	14
JE621409	4	22
JE621411	14	22
JF113007	32	33
JF113202	1	35

PARTE No.	FIG. No.	PAG. No.
JF113412	6	29
JF113418	1	29
JF113419	2	29
JF113809	16	51
JF113814	14	23
JF113815	16	2
JF113822	7	49
JF113823	16	23
JF113832	8	49
JF113834	8	30
JF113843	22	62
JF113845	28	52
JF121004	19	48
JF122000	1	31
JF122005	3	31
JF122006	10	31
JF122072	3	31
JF131008	1	37
JF131011	3	36
JF131011	7	37
JF131016	8	37
JF131018	6	37
JF131206	4	36
JF131206	12	40
JF131209	22	40
JF131210	16	31
JF131233	4	36
JF131233	24	41
JF131236	1	41
JF131600	20	40
JF131601	18	40
JF131800	9	37
JF131802	12	38
JF131806	1	39

PARTE No.	FIG. No.	PAG. No.
JF131807	8	38
JF131855	10	34
JF131878	9	43
JF141000	2	76
JF151018	1	48
JF151019	18	48
JF151025	2	46
JF151027	6	46
JF151031	2	48
JF151032	3	48
JF151033	13	48
JF151034	15	48
JF151036	12	48
JF161001	1	44
JF161002	11	46
JF161009	1	44
JF161201	2	55
JF161202	1	55
JF171001	21	51
JF171004	1	51
JF171009	2	51
JF181001	9	64
JF181005	7	56
JF181210	17	58
JF181211	1	56
JF181253	10	62
JF181254	21	62
JF181286	10	64
JF181287	1	49
JF181288	11	64
JF181289	15	56
JF181290	16	56
JF181331	15	56
JF181332	16	56

PARTE No.	FIG. No.	PAG. No.
JF181340	1	56
JF181401	8	34
JF181401	1	64
JF181402	4	34
JF181403	1	34
JF181409	6	56
JF181435	14	34
JF181464	6	56
JF181466	7	56
JF181467	8	56
JF181468	9	56
JF231214	6	63
JF231215	7	63
JF232606	17	46
JF233124	15	67
JF233124	15	70
JF401403	23	46
JF401405	10	35
JF401600	7	62
JF401802	12	62
JF402000	2	23
JF402231	1	62
JF402242	6	62
JF402400	1	54
JF511052	5	3
JF561204	9	12
JF561205	12	12
JG131219	8	40
JG131219	14	41
JG151022	16	46
JG161008	12	46
JG161010	1	38
JG161010	22	46
JG181235	3	58

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
JG181236	2	58
JG181238	2	54
JG191006	15	28
JG191008	5	27
JG232601	9	27
JG232606	10	27
JG401808	11	62
JG531220	2	5
JG531220	2	8
JG551428	3A	21
JG551447	15	21
JG571024	13	14
JG581056	7	1
JG581056	8	24
JG591038	3	26
JG591039	6	26
JH541210	17	17
JH551001	10	10
JH551002	22	10
JH551202	24	10
JH551203	15	10
JH551204	12	10
JH551205	3	10
JH551206	13	10
JH551209	11	10
JH551209	5	76
JH561000	3A	11
JH582200	6	2
JK401801	13	53
JL111054	4	29
JL111103	2	30
JL113006	29	33
JL113012	3	32
JL113028	19	32

PARTE No.	FIG. No.	PAG. No.
JL113033	4	32
JL113033	8	44
JL113036	25	32
JL113038	30	33
JL113201	9	35
JL113207	7	35
JL113209	15	35
JL113210	3	35
JL113212	8	35
JL113223	18	35
JL113803	6	61
JL113809	1	30
JL113810	7	61
JL113811	8	61
JL113812	9	61
JL113828	10	43
JL113836	17	23
JL113841	24	62
JL122008	13	31
JL122026	14	31
JL131807	9	39
JL131810	11	44
JL131841	9	42
JL131878	10	42
JL131930	18	41
JL151021	1	46
JL151028	5	46
JL151034	7	46
JL151035	9	46
JL151038	2A	46
JL161003	14	46
JL161005	4	44
JL161006	9	44
JL161010	4	44

PARTE No.	FIG. No.	PAG. No.
JL171018	20	50
JL171019	19	50
JL171020	22	50
JL171024	5	51
JL171035	12	50
JL171036	11	50
JL171037	8	50
JL171040	17	51
JL171045	5	64
JL171046	6	64
JL171049	4	50
JL171057	3	51
JL171060	14	50
JL171061	9	51
JL171062	8	51
JL171063	9	50
JL171070	6	51
JL171071	4	51
JL171078	15	51
JL171081	1	50
JL171085	23	50
JL171096	24	50
JL171800	13	50
JL171801	16	50
JL171802	10	50
JL171803	15	50
JL171823	26	52
JL171824	27	52
JL171825	4	64
JL181008	1	58
JL181203	6	58
JL181209	11	53
JL181211	7	64
JL181212	8	64

PARTE No.	FIG. No.	PAG. No.
JL181214	4	53
JL181219	14	53
JL181233	28	59
JL181233	2	64
JL181234	27	59
JL181234	3	64
JL181236	14	58
JL181237	16	58
JL181241	4	54
JL181247	5	58
JL181249	15	58
JL181256	6	49
JL181257	23	58
JL181263	30	59
JL181264	20	62
JL181283	22	58
JL181288	1	53
JL181297	2	56
JL181407	8	56
JL181408	9	56
JL181410	14	56
JL181411	5	34
JL191001	1	27
JL191004	7	27
JL191008	24	51
JL191008	17	67
JL191008	17	70
JL191008	16	71
JL191008	27	74
JL191009	25	51
JL191009	16	67
JL191009	16	70
JL191009	15	71
JL191009	26	74

PARTE No.	FIG. No.	PAG. No.
JL231209	5	56
JL231404	3	63
JL231405	4	63
JL231600	21	46
JL231601	20	46
JL232604	12	27
JL232808	10	61
JL233002	20	67
JL233002	20	70
JL233002	19	71
JL233002	30	74
JL233316	1	65
JL233316	1	68
JL233316	1	71
JL401002	1	61
JL401003	5	60
JL401004	6	60
JL401005	2	60
JL401006	1	60
JL401012	9	58
JL401016	17	61
JL401400	18	46
JL401405	19	46
JL401406	6	44
JL402201	5	62
JL402219	19	3
JL402602	6	50
JL403600	14	35
JL541223	5	20
JL541227	12	17
JL561409	15	12
JL561410	18	12
JL581055	10	24
JL581056	14	24

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
JL581066	5	2
JL581203	4	25
JL581204	11	25
JL581205	12	25
JL581206	13	25
JL591156	9	26
JL591157	8	26
JL591165	10	26
JL601216	10	49
JN131203	7	40
JN351604	15	62
JU591081	3	26
JV541208	2	17
JV551000	19	9
JV551000	2	76
JW131807	5	39
JW131810	4	39
JW561206	2	12
JY151011	10	48
JY181255	17	56
JY541039	8	11
JY581028	11	2
JZ122008	8	31
JZ122012	9	31
JZ551008	8	9
JZ551205	14	9
JZ551210	9	9
JZ551412	8	21
JZ561002	4	11
JZ621000	7	16
KACA0516	3	50
KACA0616	6	34
KACA0820	5	32
KACB0622	4	56

PARTE No.	FIG. No.	PAG. No.
KACH0835	18	58
KADA0510	13	26
KADA0512	14	51
KADA0610	9	19
KADA0612	20	57
KADA0630	12	26
KADA0635	11	26
KADB0516	13	35
KADB0516	10	51
KADD0610	17	2
KADD0610	12	61
KADD0610	23	62
KADD0614	11	42
KADD0618	10	23
KADD0630	14	2
KADD0830	13	38
KADD0830	3	44
KADE0614	10	58
KADF0614	2	19
KADF0614	12	23
KADF0616	18	23
KADF0618	13	23
KADF0820	7	34
KADF0820	18	50
KADF0885	10	63
KADM0610	15	24
KADM0610	19	51
KADT0612	8	42
KADT0820	21	50
KAEG0614	3	2
KAEM0614	13	62
KAFD0875	21	57
KBAB0608	10	22
KBBA0514	3	61

PARTE No.	FIG. No.	PAG. No.
KBBC0608	10	22
KBBM0408	15	37
KBQA3506	5	24
KBRA4819	19	2
KBRC3513	12	31
KBUA0514	2	49
KBUA0516	12	58
KBUA0612	2	53
KBUA0614	19	57
KBUA0616	26	59
KBUA0620	18	57
KBUA0630	2	24
KBUB0410	10	56
KBUB0516	13	51
KCAA0504	3	54
KCGA0505	7	50
KCGA0606	4	49
KCGD0606	5	61
KCGD0808	5	29
KCGD1010	4	60
KCGF0606	15	2
KCJD1212	11	27
KDAA0510	9	34
KDAA0611	11	58
KDBA0512	7	58
KJAC1824	6	3
KPAC6005	9	41
KPBB6202	10	40
KPBB6301	5	37
KPBB6302	17	40
KPBC6004	5	40
KPBC6202	13	41
KPBC6302	16	41
KPBF6201	14	13

PARTE No.	FIG. No.	PAG. No.
LAC00016	11	32
LAC00019	2	31
LAC00020	4	46
LAC00022	12	51
LAC00031	9	63
LAC00035	10	53
LAC00035	5	63
LAC00036	13	56
LAC00037	11	56
LAC00052	9	22
LAC00054	6	54
LAC00054	3	56
LAC00063	7	51
LAC00069	21	9
LAC00128	13	56
LAD00040	7	44
LAD00065	16	26
LAD00077	7	42
LAD00077	26	47
LAD00104	6	8
LAD00134	4	35
LAD00135	6	35
LAE00005	5	17
LAE00015	7	8
LAE00015	4	13
LAE00024	12	14
LAE00025	8	13
LAE00026	5	1
LBR00002	8	58
LBS00002	4	58
LBU00039	19	57
LBU00077	18	57
LBU00078	3	56
LCB00003	17	12

PARTE No.	FIG. No.	PAG. No.
LCB00005	1	40
LCB00005	4	41
LCD00001	8	7
LCJ00002	18	31
LCJ00002	21	41
LDA00013	10	32
LDA00025	12	7
LDB00007	7	54
LDB00023	6	53
LDB00029	17	31
LDB00029	2	41
LDB00044	5	12
LFB00001	4	7
LJA00004	14	14
LJA00010	13	3
MF12V5-1A-GEL	14	62
MTX5L-BS-GEL-MEGA	14	62
MTX5L-BS-MEGA	14	62
PA181292	25	58
PA181293	24	58
PA402204	18	62
PA561209	6	12
PF131220	2	40
PF131220	5	41
PF541018	10	13
PN0019-NT	2	72
PN0019-NT	2	75
YDT02004	8	54
YJF22001	6	42
YJF22002	5	42
YJF22004	4	42
YJF22006	3	42
YJF22009	1	43
YJL02006	29	59

FICHA TÉCNICA PULSAR NS 160

pulsar
NS 160



CARACTERÍSTICAS	UNIDAD
Motor	4T, Monocilíndrico
Cilindrada	160.3 cc
Relación de Compresión	9.8:1
Potencia Máxima	15.3 HP @ 8500 RPM
Torque Máximo	14.6 NM @ 6500 RPM
Bujía	BOSCH UR4AC
Arranque	Eléctrico y Pedal
Transmisión	Mecánica 5 Velocidades
Sistema de Lubricación	Forzada
Sistema de Alimentación	Carburador
Refrigeración	Aire Forzado y Aceite
FRENOS	
Freno Delantero	Disco (240 mm)
Freno Trasero	Tambor (130 mm)
SUSPENSIÓN	
Suspensión Delantera	Telescópica Hidráulica
Suspensión Trasera	Monoamortiguador Nitrox
CAPACIDAD DEL TANQUE	
Lleno	12 Litros (3.17 Gal.)
Combustible	Corriente
LLANTAS	
Llanta Delantera	80/100 - 17
Llanta Trasera	110/80 - 17
Rines	Aspas de Aleación
SISTEMA ELÉCTRICO	
Sistema de Ignición	C.D.I
Bombillo Farola	12V 55/60 W
Luz de Stop	LED
Luces Direccionales	12V 10 W
Velocímetro	Análogo - Digital
Pito	12V 2A
Batería	12V 4AH
DIMENSIONES	
Largo x Ancho x Alto	2012 mm x 803.5 mm x 1060 mm
Distancia Entre Ejes	1363 mm.
Altura al Piso	176 mm.
Peso en Seco	142 Kg

FICHA TÉCNICA PULSAR NS 160 TWIN DISC

CARACTERÍSTICAS	UNIDAD
Motor	4 Tiempos, Monocilíndrico
Cilindrada	160.3 cc
Relación de Compresión	9,8+/-0.5:1
Potencia Máxima	15.3 HP @ 8500 RPM
Torque Máximo	14.6 NM @ 6500 RPM
Bujía	Champion RG4HC
Arranque	Eléctrico y Pedal
Transmisión	Mecánica 5 Velocidades
Sistema de Lubricación	Forzada
Sistema de Alimentación	Carburador
Refrigeración	Aire Forzado y Aceite
FRENOS	
Freno Delantero	Disco (240 mm)
Freno Trasero	Disco (230 mm)
SUSPENSIÓN	
Suspensión Delantera	Telescópica Hidráulica
Suspensión Trasera	Monoamortiguador Nitrox
CAPACIDAD DEL TANQUE	
Lleno	12 Litros (3.17 Gal.)
Combustible	Corriente
LLANTAS	
Llanta Delantera	90/90 - 17
Llanta Trasera	120/80 - 17
Rines	Aspas de Aleación
SISTEMA ELÉCTRICO	
Sistema de Ignición	C.D.I
Bombillo Farola	12V 55/60 W
Luz de Stop	12 V LED
Luces Direccionales	12V 10 W
Velocímetro	Análogo - Digital
Pito	12V 2A
Batería	12V 4AH
DIMENSIONES	
Largo x Ancho x Alto	2017 mm x 803.5 mm x 1060 mm
Distancia Entre Ejes	1370 mm.
Altura al Piso	167 mm.
Peso en Seco	145 Kg

pulsar
NS 160



LUBRICANTES Y PRODUCTOS PARA EL CUIDADO DE TU MOTO.



